





Introduction

Swedish thinking. Better living.

We come from Sweden. A land of extreme contrast, where winter gives us eternal darkness and summer infinite light. It's a unique place to call home. And it's the reason we do things differently. Our climate gives home a new meaning. It's where we escape the long, dark winters, but also where we open every door and window to welcome the summer light. And it's where we care for each other. We have a long tradition of equality, sustainability and the right to express ourselves. We don't own these topics - the world does. But we're proud to be one of the voices that takes them seriously. Every change starts at home. So whatever we do, it'll always be inspired by where we come from.

Our future is determined by the way we all live our lives. That's why we strive to improve everyday life for millions of people and the world around us. It is embodied in everything we do. In every idea, every product and every human interaction.

We believe that outstanding taste experiences should be easy for everyone. That there is always a better way to care for our clothes to make them look and feel new longer. That the home should be a place for wellbeing, a place to care for ourselves and our loved ones.

To succeed, we continuously rethink and improve our ways of working - internally, and together with our customers and partners.

By creating desirable solutions and great experiences that enrich peoples' daily lives and the health of our planet, we want to be a driving force in defining enjoyable and sustainable living.This is us – at Electrolux we shape living for the better.



To deliver distinct and differentiated experiences, Electrolux has three clear innovation areas - Taste, Care & Wellbeing

- Targeted research and development gives us a competitive advantage optimizing our offering and shortening the time to market.
- Electrolux focuses its research and development on products that provides great consumer experiences such as:
- Great food with the right **taste** and texture, healthy, fresh and nutritious. Inspired by new culinary techniques, while also reducing food waste.
- **Care** for clothes so they remain like new for longer, and ready to wear by holding their size and shape, while using minimal water and energy.
- Healthy **wellbeing** in the home by using appliances with a visual appeal, while creating a healthy environment.

We are a progressive and premium home life brand, making desirable experiences more sustainable. Our fundamental focus is on "Human Centricity" which allows us to offer Accessible, Smart and Appealing Solutions to our customers. While delivering a solution to consumers, we ensure that we deliver it with a holistic view of minimal impact on the environments, directly or indirectly. We preserve the art of translating our Scandinavian with Beautiful and functional designs. This is referred to as "**Beauty with Purpose**". Our Sustainable solutions are Distinct and Desirable.



Our Offerings



Taste: Food Preparations (Gas Hobs, Hybrid Hobs, Hoods, Oven, Coffee Maker)



Taste: Food Preservation (Refrigerator)

Care: Fabric Care (Washing Machine)



Care: Dish Care (Dishwasher)

Well Being: Air Care (Air Conditioner, Air P



Well Being: Floor Care (Vacuum Cleaner)





Taste

Our Belief

We believe it's time for a taste revolution. By changing the way we source, treat and eat food, we can improve the affects on both our health and our planet. Even small changes in behavior can make a big impact for the better. Because few things are more pleasurable than sharing a delicious meal. That's why we champion those who are passionate about taste and want to cook and enjoy more mindfully.

Human Centricity

We understand everyday life and the tension between eating what is 'best' and what is 'doable'. It has to be effortless and joyful to cook and eat sustainably. Through partnerships and investments, we rethink the entire eco system around food experiences. That way, you don't have to compromise on eating mindfully.

Sustainability

We are committed to the planet. That means having a holistic view on our impact. By innovating and creating circular processes, we reduce both the full life-cycle footprint of our products and our corporate affect on the environment. And by helping you get the most out of ingredients, we enable better health and reduced food waste.

Scandinavian Design

This involves experiences that are designed to harmonize with your kitchen and work seamlessly throughout your food journey, inspiring better choices, while elevating your individual skills. We love creating beauty with purpose. That is why we design for intuitive taste experiences founded in usability and simplicity.

Care

Our Belief

We believe it's time to change how we wear and care for our clothes. We also believe that even small changes in behaviour can have a large impact. That's why we champion those who choose to re-wear, repurpose and rotate their wardrobe.

Human Centricity

We understand everyday life. Caring for your clothes in a sustainable way should be effortless. By making focused investments and utilizing partnerships, we rethink the entire ecosystem for a better overall wardrobe experience.

Sustainability

We are committed to the planet. That means having a holistic view on our direct and indirect impact. By using circular processes and considering the lifetime footprint of our appliances and beyond, we contribute to a better ecosystem and reduce our total impact.

Scandinavian Design

We love creating beauty with purpose. That is why we design intuitive care experiences founded in usability and simplicity. Experiences that are designed to give confidence to new and better behaviours.





Wellbeing

Our Belief

Human Centricity

We understand everyday life. And that cleaning and conditioning your home should take up as little space as possible, both physically and mentally. We take a holistic approach to make the experience of caring for your home effortless, pleasant and something you never have to worry about.

Sustainability

We show the way by setting new standards for our products, our industry and for society at large. We are radically changing the way we work, taking a circular approach to innovation and redefining how we meet consumer needs. Making the sustainable option irresistible, we lower the barriers for positive action. Thus, we can say that we are committed to the planet, the home and the individual.

Scandinavian Design

Through Scandinavian design we elegantly crafted durable materials which are in harmony with your home and fit seamlessly into your life. Thus, interactions with our given solutions gives you confidence with new and improved behaviors with little effort. We believe in creating beauty with purpose. Thus why we design intuitive solutions that are founded in usability and simplicity.





Swedish thinking. Better living.

A kitchen that knows what matters

At Electrolux, our philosophy is simple: life in the kitchen should be seamless and intuitive. That's why we've developed a new range with smart, sustainable features and clean lines for an effortless experience. So, you can concentrate on the things that make you happy: making and sharing great food with the people you love.

Swedish thinking. Better living.



Ovens

For delicious taste, just add steam

Our advanced steam functions ensure you cook with just the **right balance of steam and heat.** The added moisture conducts heat faster so you will discover colours are richer, skins are crispier and textures are more tender and juicy.*



Effortless baking

Adding steam to your baking program can lift your baking skills to a whole new level. The **Bake** +Steam function on our new ovens uses a touch of steam to create a richer and glossier colour, a crispier crust and soft delicious texture for your home-baked goodies.

*Selected models

Brilliant simplicity

Our **steam function** is the secret to give your dishes juiciness on the inside and crispiness on the outside. Paired with intuitive controls, you can effortlessly grill, bake or roast to perfection.













Ovens features

An oven that cleans itself

High temperature pyrolytic cleaning burns away oven grease and grime for easy cleaning, without any need for water or chemicals. Simply set the pyro program and wipe the oven clean afterwards. The oven door also has multiple layers of glazing to remain cool-tothe-touch, even when pyro cleaning at a very high temperature. A layer of reflective glass directs heat back into oven, while an extra layer provides additional heat resistance.

Fry with air, less oil.

The mesh design of the AirFry tray allows s uper-heated air to crisp the surface of food to deliver that delightful fried taste and texture, with minimal oil.

It's all about timing

Do you sometimes forget to turn off the oven after cooking? Don't worry, set the timer to automatically turn off your oven after cooking for extra peace-of-mind.

Demystify steam cooking

Not sure how to use steam to elevate your cooking results? Steamify makes it easy to create delicious flavours and textures with steam. Select the temperature that you would usually use and the oven automatically adjusts the settings to deliver the right amount of steam to cook your dish in an optimal way. For healthier, tastier results, meet Steamify.

Precise cooking, great results

Whether you're broiling beef or roasting chicken, the smart food probe helps you to achieve delicious results, time after time. By monitoring the core temperature of the food during the cooking process, your meats will be cooked to their succulent best. The precise sensor will even let you know when your dishes have been cooked to the desired temperature and automatically stop the process to prevent food from drying out.

Built-in single oven

Technical info

KOCBP21XA

60 cm Black glass with stainless steel trim

Cut-out dimensions (mm) 600 (H) x 560 (W) x 550 (D) Product dimensions (mm) 594 (H) x 595 (W) x 569 (D)



Built-in single oven

KOAAS31X

Technical info

Cut-out dimensions (mm) Product dimensions (mm)

Features



Built-in single oven

Technical info

KODDP71XA

60 cm Black glass with stainless steel trim

Cut-out Dimensions (mm) 600 (H) x 560 (W) x 550 (D) Product dimensions (mm)



Features

- SteamRoast for crisp, yet succulent meats.
- Smart food probe monitors core temperatures.
- Telescopic runners provide easy access.
- Easy pyro cleaning at high temperature.
- Door closes itself softly with a gentle push.
- Different oven functions for diverse cooking.
- Pizza program grills above and cooks from below.

Features

- 594 (H) x 595 (W) x 567 (D)
- SteamBake for bakery-style bread at home.
- Smart food probe monitors core temperatures.
- Easy pyro cleaning at high temperature.
- Door closes itself softly with a gentle push.
- Different oven functions for diverse cooking.
- Pizza program grills above and cooks from below.
- Telescopic runners provide easy access.


Built-in single oven	Technical info	Features
KOIGH00KA2 60 cm Black glass	Cut-out Dimensions (mm) 600 (H) × 560 (W) × 550 (D)	 AirFry your food for a fried taste with less oil.
	Product dimensions (mm)	 Different oven functions for diverse cooking.
	594 (H) x 595 (W) x 567 (D)	 LED timer display sets exact cooking times.
		 Steam Assisted Cleaning for a natural, easy clean.
		 Pizza program grills above and cooks from below.
830		 Black finish fits well with any kitchen décor.
		 Grill for browning meats and melting cheeses.
		 AutoOff timer powers down ove after use.
Built-in single oven	Technical info	atures
KOHLHOOKA	Cut-out Dimensions (mm)	Different oven functions for
60cm Black glass	600 (H) X 560 (W) X 550 (D)	diverse cooking.Steam Assisted Cleaning for a
	Product Dimensions (mm) 594 (H) X 595 (W) X 569 (D)	natural, easy clean.
	374 (11) A 373 (77) A 307 (D)	 Pizza program grills above and cooks from below.
		 Black finish fits well with any kitchen décor.

- Grill for browning meats and melting cheeses.
- AutoOff timer powers down oven after use.
- Enamel coated cavity is durable
 and easy-to-clean.









Built-in warming drawer

KBD4X

60 cm Black glass with stainless steel trim

Cut-out dimensions (mm) 141 (H) x 560 (W) x 550 (D) **Product dimensions (mm)**

Technical info

139 (H) x 595 (W) x 551 (D)

Features

Settings to defrost, reheat, and more.

- Warm plates and cookware with ease.
- Dehydrate healthy fruit snacks at 40-60°C.
- Stainless steel is stylish and antifingerprint.

Electrolux





Gas Hobs

The Electrolux hob range will change the way you cook and let you unleash your creativity to achieve great tasting food.

It empowers the customers to make healthier and more nutritious food without compromising on taste.





Gas Cooktops

Fire it up

Enjoy super-fast heating, precise control and the satisfaction of great dishes, cooked to perfection. The Dual Flame wok control lets you direct heat accurately from simmer to maximum flame.


StepFlame

It delivers **precise control to three rings of flame** with stepped settings that click into place as you change the heat intensity. The pre-defined settings guarantee the same flame and heat level every single time, giving you both control and flexibility. This is perfect for a variety of techniques and dishes from delicately melting chocolate in a bain-marie, to gently simmering sauces or stir-frying rice at high temperatures.

FlameShield Trivet

The FlameShield trivet **reduces heat-loss** to deliver more intense heat to the cooking process, for effortlessly perfecting dishes from soups to sauces to stir-fries. The **curved trivet profile** works like cradling a candle with your hands, cupping the flame, and channeling the energy directly onto the bottom of the pan. By directing heat more efficiently, hobs with the FlameShield trivet cook faster and consume less energy than previous models^{*}, helping you to achieve quick, tasty meals, whilst also lowering your energy bills over time.

*Lower gas consumption to bring 2L water to boiling point - comparison vs. previous model EGT9239CKB carried out in internal testing.





Full Brass Burners

It don't only look good, they are also durable. Providing **superior heat retention and even heat distribution** so you can sear, simmer and pan fry with confidence in your kitchen.

Flexi Installation Cut Out

The **smaller lower box** of this cooktop combined with the **extended glass overhang and flexible bracket** makes installation into existing counter cut-outs easy without additional modifications.





Safety shut-off

The **flame failure safety device** automatically cuts off the gas supply if the flame goes out during cooking. This means you can use your appliance at the lowest power without worrying about the flame extinguishing

and leaking gas.



Black glass built-in gas hob

EHG9351BC

90cm UltimateTaste 700 built-in gas hob with 3 cooking zones

700-865 (W) x 405-480 (D) Product dimensions (mm) 130 (H) x 900 (W) x 520 (D)

Technical info



Black glass built-in gas hob

Technical info

EHG9530BC

90cm UltimateTaste 300 built-in gas hob with 5 cooking zones

Cut-out dimensions (mm)

820 (W) x 475 (D)

Product dimensions (mm) 130 (H) x 900 (W) x 520 (D)



Features

Cut-out dimensions (mm)

- StepFlame settings deliver precise heat control.
- FlameShield improves efficiency and results.
- Intense 5.2kW burner to lock in flavours.
- Flexi cut-out for easy kitchen installation.
- Flame failure cuts off gas supply for your safety.
- Semi-rapid burner for cooking with low heat.
- Cast iron supports keep pots and pans stable.
- Durable, easy-to-clean tempered glass surface.

Features

- Brass burners to sear, simmer and pan fry.
- Flame failure cuts off gas supply for your safety.
- DualFlame provides the heat to simmer or stir-fry.
- Cast iron supports keep pots and pans stable.
- Durable, easy-to-clean tempered glass surface.
- Assistant Wok Trivet is perfect for Kadai cooking.
- High power burner is ideal for stir-frying.
- Semi-rapid burners for cooking with low heat.

Black glass built-in gas hob

Technical info

Features

EHG9430BCI

90cm UltimateTaste 300 built-in gas hob with 4 cooking zones

Cut-out dimensions (mm) 820 (W) x 475 (D) Product dimensions (mm) 130 (H) x 900 (W) x 520 (D)

- · Brass burners to sear, simmer and pan fry.
- Flame failure cuts off gas supply for your safety.
- DualFlame provides the heat to simmer or stir-fry.
- Cast iron supports keep pots and pans stable.
- · Durable, easy-to-clean tempered glass surface.
- Assistant Wok Trivet is perfect for Kadai cooking.
- High power burner is ideal for stir-frying.
- Semi-rapid burners for cooking with low heat.

• Brass burners to sear, simmer and

• Flame failure cuts off gas supply

• DualFlame provides the heat to

Cast iron supports keep pots and

• Durable, easy-to-clean tempered

Assistant Wok Trivet is perfect for

• High power burner is ideal for

Semi-rapid burners for cooking

Features

pan fry.

for your safety.

pans stable.

glass surface.

Kadai cooking.

with low heat.

stir-frying.

simmer or stir-fry.

Black glass built-in gas hob

Technical info

EHG9430BCD

90cm UltimateTaste 300 built-in gas hob with 4 cooking zones

Cut-out dimension 820 (W) x 475 (D) **Product dimension**

Black glass built-in gas hob

Technical info

EHG6430BC

60cm UltimateTaste 300 built-in gas hob with 4 cooking zones

Cut-out dimensior 555 (W) x 475 (D) Product dimension 130 (H) x 600 (W)





Black glass built-in gas hob

EHG7330BC

78cm UltimateTaste 300 built-in gas hob with 3 cooking zones

Cut-out dimensions (mm) 685 (W) x 400 (D) Product dimensions (mm)

Technical info

130 (H) x 780 (W) x 450 (D)

666

Features

Cut-out dimensions (mm) 820 (W) x 475 (D)	 Brass burners to sear, simmer and pan fry.
Product dimensions (mm) 130 (H) x 900 (W) x 520 (D)	 Flame failure cuts off gas supply for your safety.
	 DualFlame provides the heat to simmer or stir-fry.
	 Cast iron supports keep pots and pans stable.
	 Durable, easy-to-clean tempered glass surface.
	 Assistant Wok Trivet is perfect for Kadai cooking.
	 High power burner is ideal for stir-frying.

• Semi-rapid burners for cooking with low heat.

Features

ns (mm)	 Brass burners to sear, simmer and pan fry.
ns (mm)	 Flame failure cuts off gas supply for your safety.
x 520 (D)	 DualFlame provides the heat to simmer or stir-fry.
	Cast iron supports keep pots and

pans stable.

Kadai cooking.

stir-frying.

with low heat.

· Durable, easy-to-clean

tempered glass surface.

· Assistant Wok Trivet is perfect for

• High power burner is ideal for

• Semi-rapid burners for cooking

35

Black glass	built-in	gas	hob
--------------------	----------	-----	-----

Technical info

Features

EHG6330BC

60cm UltimateTaste 300 built-in gas hob with 3 cooking zones

Cut-out dimensions (mm) 555 (W) x 475 (D)

Product dimensions (mm) 130 (H) x 600 (W) x 520 (D)

• Brass burners to sear, simmer and pan fry.

- Flame failure cuts off gas supply for your safety.
- DualFlame provides the heat to simmer or stir-fry.
- Cast iron supports keep pots and pans stable.
- Durable, easy-to-clean tempered glass surface.
- Assistant Wok Trivet is perfect for Kadai cooking.
- High power burner is ideal for stir-frying.
- Semi-rapid burner for cooking with low heat.

Black glass built-in gas hob

EHG3141BC

31cm UltimateTaste 300 built-in gas hob with 1 cooking zone

Technical info

Cut-out dimensions (mm) 265 (W) x 490 (D)

Product dimensions (mm) 160 (H) x 310 (W) x 520 (D)

Features

Brass burners to sear, simmer and pan fry.

- Blue flame burns efficiently to lower energy cost.
- Flame failure cuts off gas supply for your safety.
- Cast iron supports keep pots and pans stable.
- Durable, easy-to-clean tempered glass surface.
- One hand ignition is simple and convenient.









Hybrid and Induction Hob

Induction technology only heats the area directly beneath the pan, while the surface area around it remains cool. This means that induction hobs are safer and easier to clean than traditional cooktops, as spillages don't burn on. Induction is also faster and more energy efficient, so you can create delicious dishes in less time with less energy.

Sear. Stir-fry. Boil.

The PowerBoost function gives you an intense heat boost when needed, before automatically dropping to the highest power level. Perfect for pan searing fish, stir-frying crunchy vegetables, or bringing water to the boil quickly.

Match the method to your meals

Enjoy the **speed and precision** of induction cooking but also love the performance of gas? With this **versatile combination** of induction zones and a high-power gas burner, you can tailor your cooking technique to your culinary repertoire with ease.

Even frying. Automatically

SenseFry measures heat levels and makes the ideal temperature for even cooking results. pancakes and juicy steaks at home.

Auto pot detection

Let the **hob adapt your cooking style**, not the other way around. Sensors automatically detect where you place pots on the cooking surface and illuminate the controls, making it easy for you to control each specific area.



Built-In Induction Hob

Technical info

Features

EHI645BE

60cm UltimateTaste 700 builtin Black induction hob with 4 cooking zones



Built-In Hybrid Induction Hob

EHI3251BE

30cm UltimateTaste 500 built-in Black hybrid induction hob with 2 cooking zones



Cut-out dimensions (mm) 560 (W) X 490 (D)

Product dimensions (mm) 51 (H) X 590 (W) X 520 (D)

- SenseFry adjusts heat for even frying results.
- Select the bridge function to combine two zones.
- PowerBoost provides quick, intense heat.
- Hob2Hood adjusts the hood to your cooking.
- Induction is safe, fast, and energy efficient.
- Touch controls deliver more professional results.
- Use Auto heat-up to get cooking faster.
- Power management prevents
 electrical outages.
- Timer turns off hob automatically after use.



Cut-out dimensions (mm)

Technical info

270 (W) x 490 (D) **Product dimensions (mm)** 51 (H) X 300 (W) X 520 (D)

Features

- Select the bridge function to combine two zones.
- PowerBoost provides quick, intense heat.
- Induction is safe, fast, and energy efficient.
- Pot detection lights up the controls for the zone.
- Use Auto heat-up to get cooking faster.
- Power management prevents electrical outages.
- Pause your cooking at the touch of a button.
- Timer turns off hob automatically after use.

uilt-In Hybrid Induction Hob

Technical info

EHH957BE

90cm UltimateTaste 900 built-in Black hybrid induction hob with cooking zones **Cut-out dimension** 880 (W) X 490 (D) **Product dimension** 51 (H) X 910 (W) X

Features

	/	
-	mm	
		"]

5 (mm)

- Versatile induction with highpower gas burner.
- SenseFry adjusts heat for even frying results.
- Select the bridge function to combine two zones.
- PowerBoost gas burner to lock in flavours.
- Hob2Hood adjusts the hood to your cooking.
- Induction is safe, fast, and energy efficient.
- PowerBoost provides quick, intense heat.
- Touch controls deliver more professional results.



Rangehoods

Quiet achievers

Designed to work seamlessly with Electrolux cooktops. With their sleek design and powerful motors, they remove cooking odours so efficiently, you'll barely know they're there.

The hands free hood

While you concentrate on the flavours, the innovative **Hob2Hood feature** will take care of keeping your kitchen fresh. The rangehood **automatically turns on** as soon as you start cooking, and **intuitively adjusts the fan speed** with your cooking.*

Easy hood cleaning with heat Auto HeatClean technology makes

cleaning your extractor hood effortless. Activated automatically after 15 hours usage or manually at a press of button, the **hood heats up to melt away grease and grime**, collecting it in an oil cup for easy disposable. This self-cleaning function keeps your extraction hood clear and clean to maintain performance and power.

Let's clear the air

Whether you're frying, searing or steaming, the powerful motor and high extraction speeds clear the air by efficiently removing cooking vapours and unwanted odours from your kitchen in minutes.

*Selected models

The quiet achiever

Electrolux hoods with **inverter technology removes cooking odours** from your kitchen more quietly, so that you can focus on cooking delicious dishes in a cleaner and quieter environment. Inverter motors are also more durable and energy efficient than traditional motors.*

*Based on test results in TR000057830A.

Clean air? It's a breeze.

By activating the **BreezeRefresh function** after cooking, your kitchen air will be automatically freshened up hourly. By quietly extracting air for five minutes every hour, your cooking area will be fresh and free from lingering cooking odour the next time you want to prepare a meal.



Slope extractor hood

Technical info

Technical info

440

Product dimensions (mm)

Coverage Area (Sqft.)*

average room height of 10 ft.

1052-1329 (H) x 896 (W) x 382 (D)

*Room size is calculated based on the

Features

ECS9612K

90cm UltimateTaste 700 slope extractor hood

Product dimensions (mm)

1052-1329 (H) x 896 (W) x 382 (D)

Coverage Area (Sqft.)*

470 *Room size is calculated based on the average room height of 10 ft.

- Powerful extraction removes
 unwanted odours fast.
- Control your hood settings with hand gestures.
- Inverter motor is quiet, durable, and efficient.
- BreezeRefresh automatically extracts air hourly.
- 6-speed fan for all cooking intensities.
- Use PowerBoost to remove strong odours.
- Glass touch control panel is easy to use and clean.
- Delay off continues to remove fumes after cooking.

Slope extractor hood

Features

ECS9610K

90cm UltimateTaste 500 slope extractor hood



- Powerful extraction removes unwanted odours fast.
 - 4-speed fan for all cooking intensities.
 - Use PowerBoost to remove strong odours.
 - Glass touch control panel is easy to use and clean.
 - Delay off continues to remove fumes after cooking.
 - Centrifugal motor is energy efficient.
 - Washable filters are better for the environment.
 - LED lighting is bright and energy efficient.



g 60 Slope extractor hood Hoods

Technical info

Product dimensions (mm)

Features

Slope extractor hood

ECS9081G

Technical info

ECS9181G

Wall Mounted

90cm UltimateTaste 500 slope extractor hood

830 (H) x 900 (W) x 420 (D) Coverage Area (Sqft.)*

230 *Room size is calculated based on the average room height of 10 ft.

- Auto HeatClean automatically melts away grease.
- Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- · LED lighting is bright and energy efficient.

90cm UltimateTaste 500 slope extractor hood

Product dimensions (mm)

730 - 1090 (H) x 900 (W) x 420 (D)

Coverage Area (Sqft.)* 270

*Room size is calculated based on the average room height of 10 ft.





Slope extractor hood

ECS9691G

90cm UltimateTaste 500 slope extractor hood

Technical info

Product dimensions (mm) 830 (H) x 900 (W) x 420 (D)

Coverage Area (Sqft.)* 230

*Room size is calculated based on the average room height of 10 ft.

Auto HeatClean automatically

Features

- melts away grease.
- · Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- · LED lighting is bright and energy efficient.

Chimney extractor hood

Technical info

ECT9281G

90cm UltimateTaste 500 chimney extractor hood

Coverage Area (Sqft.)* 230

*Room size is calculated based on the average room height of 10 ft.



Features

- · Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- LED lighting is bright and energy efficient.
- · Washable filters are better for the environment.

Features

Product dimensions (mm)

545 (H) x 898 (W) x 505 (D)

- Auto HeatClean automatically melts away grease.
- Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- LED lighting is bright and energy efficient.

Chimney extractor hood

Technical info

Features

ECC9681G

90cm UltimateTaste 500 chimney extractor hood

599 (H) x 898 (W) x 505 (D) Coverage Area (Sqft.)*

230

Product dimensions (mm)

*Room size is calculated based on the average room height of 10 ft

- Auto HeatClean automatically melts away grease.
- · Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- LED lighting is bright and energy efficient.

Chimney extractor hood

90cm UltimateTaste 500 chimney

ECT9623B

extractor hood

Technical info


Features

Product dimensions (mm) 435-815 (H) x 900 (W) x 454 (D)

Coverage Area (Sqft.)*

280 *Room size is calculated based on the average room height of 10 ft.

- Centrifugal motor is energy efficient.
- LED lighting is bright and energy efficient.
- Washable filters are better for the environment.







СЗ

Slope extractor hood

Technical info

Features

ECS6181G

60cm UltimateTaste 500 slope extractor hood

230

*Room size is calculated based on the average room height of 10 ft

- Auto HeatClean automatically melts away grease.
- Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- LED lighting is bright and energy efficient.

Slope extractor hood

ECS6691G

60cm UltimateTaste 500 slope extractor hood



Technical info

Product dimensions (mm)


830 (H) x 600 (W) x 420 (D)

Coverage Area (Sqft.)* 230

* Room size is calculated based on the average room height of 10 ft.

Features

- Auto HeatClean automatically melts away grease.
- · Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- LED lighting is bright and energy efficient.







s 60	Slope extractor hood	Technical info	Features	Chimney extractor hood
Vall Mounted Hoods	ECS6081G 60cm UltimateTaste 500 slope extractor hood	Product dimensions (mm) 730 – 1090 (H) x 600 (W) x 420 (D) Coverage Area (Sqft.)* 270 *Room size is calculated based on the average room height of 10 ft	 Centrifugal motor is energy efficient. Touch control panel is easy to use and clean. LED lighting is bright and energy efficient. 	ECC6681G 60cm UltimateTaste 500 chimney extractor hood
5			 Washable filters are better for the environment. 	

Chimney extractor hood

ECT6281G

60cm UltimateTaste 500 chimney extractor hood



Technical info

Product dimensions (mm) 545 (H) x 598 (W) x 505 (D)

Coverage Area (Sqft.)* 230

*Room size is calculated based on the average room height of 10 ft

Features

- Auto HeatClean automatically melts away grease.
- · Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- Easy-to-clean filter system with oil cup.
- · LED lighting is bright and energy efficient.

Chimney extractor hood

Technical info

ECT6623B

60cm UltimateTaste 500 chimney extractor hood

The second of

Product dimensions (mm)

435-815 (H) x 600 (W) x 454 (D)

Coverage Area (Sqft.)* 280

*Room size is calculated based on the average room height of 10 ft.



Coverage Area (S

Technical info

180

*Room size is calculate average room height o

g

Features

ns (mm) X 505 (D)	•	Auto HeatClean automatically melts away grease.
oqft.)*	•	Powerful extraction in kitchens up to 180 sq ft.
d based on the of 10 ft	•	Centrifugal motor is energy efficient.
	•	Touch control panel is easy to use and clean.

- Easy-to-clean filter system with oil cup.
- LED lighting is bright and energy efficient.

Features

- Centrifugal motor is energy efficient.
- LED lighting is bright and energy efficient.
- Washable filters are better for the environment.

Island extractor hood

Hoods

Technical info

Features

ERCI927SA 120cm UltimateTaste 500 island extractor hood



Product dimensions (mm)

680-1220 (H) x 1200 (W) x 640 (D)

Coverage Area (Sqft.)* 530

*Room size is calculated based on the average room height of 10 ft

- Use PowerBoost to remove strong odours.
- Delay off continues to remove fumes after cooking.
- Powerful extraction removes
 unwanted odours fast.
- Glass touch control panel is easy to use and clean.
- Filter indicator for replacement notification.
- Centrifugal motor is energy efficient.

Island extractor hood

ECI9455B

90cm UltimateTaste 500 island extractor hood



Technical info

Product dimensions (mm) 500-1000 (H) x 898 (W) x 604 (D)

Coverage Area (Sqft.)*

350 *Room size is calculated based on the average room height of 10 ft

- Features
- Elegant design for a sleek kitchen centrepiece.
- Centrifugal motor is energy efficient.
- Touch control panel is easy to use and clean.
- LED lighting is bright and energy efficient.
- Washable filters are better for the environment.





Integrated extractor hood

ECE5280HM

120cm UltimateTaste 500 integrated extractor hood

Technical info

Features

Product dimensions (mm) 311 (H) x 1198.6 (W) x 499 (D)

Coverage Area (Sqft.)* 320

*Room size is calculated based on the average room height of 10 ft

 Hob2Hood adjusts the hood power automatically.

- 4-speed fan for all cooking intensities.
- Use PowerBoost to remove strong odours.
- Delay off continues to remove fumes after cooking.
- Powerful extraction removes
 unwanted odours fast.
- Filter indicator for replacement notification.
- Centrifugal motor is energy efficient.



Your coffee, your way

Choose a coffee that suits your taste, whether an espresso shot or a light, subtle blend. With the intuitive UI, the quantity can be adjusted precisely to measure the amount of coffee dispensed, while the aroma selection allows for various coffee intensities ranging from light to intense. This ensures that each cup can be tailored to your personal coffee preferences.

Best served with friends

This coffee machine can **fill two cups at once**. Perfect for when you want to enjoy a delicious coffee with a friend.

Cafe quality coffee at home

For **café-quality cappuccino** whenever you want it, press the cappuccino button. Getting that professional flavour is almost as easy as enjoying the cappuccino itself.







Built-In Coffee Maker

KBC85X

2.5L UltimateTaste 900 stainless steel and black built-in coffee maker 56cm

Technical info

Cut-out dimensions (mm) 450 (H) X 560 (W) X 550 (D **Product dimensions (mm)** 455 (H) X 596 (W) X 361 (D)

Feature

- The perfect blend, aroma and amount for you.
- Thermoblock brews perfect tasting espresso.
- Make two coffees at the same time.
- Café-quality cappuccino at home.
- Touch display for control you can count on.
- 15 bar pressure for perfectly authentic espressos.
- Stainless steel is stylish and anti-fingerprint.
- AutoRinse after use helps maintain your machine.



KOHLH00KA Built-In Single Oven

Technical specifications	
Product type	Built-In Single Oven
Product dimensions(mm)	594 (H) X 595 (W) X 569 (D)
Cut-out dimensions (mm)	600 (H) X 560 (W) X 550 (D)
Installation type	Built-in
Energy type	Electric
Capacity	68L
Grill power (W)	2700
Total wattage (W)	2790
Accessories	
Items included	1x Wire shelf, 1x Enamel dripping pan
Features	
No. of functions	5
Timer	\checkmark
Grill	✓
Steam	-
Air fry	-
Cleaning function	Steam Assisted
Food Probe	-
No. of shelf positions	5
Telescopic rails	-
Door glazing	Double glazed
Removable door	\checkmark
SoftClose hinges	-
Light	\checkmark
Safety features	
AutoOff	\checkmark
Child lock	-
Design	
Controls	Manual
Main colour	Black
Main material	Glass



KOIGH00KA2 Built-in single oven

Built-In Single Oven	Built-In Single Oven
594 (H) X 595 (W) X 567 (D)	594 (H) X 595 (W) X 567 (D)
600 (H) X 560 (W) X 550 (D)	600 (H) X 560 (W) X 550 (D)
Built-in	Built-in
Electric	Electric
72L	72L
2700	2300
2790	3490
1x Wire shelf, 1x Enamel dripping pan, 1x Enamel cake tray, 1x AirFry tray	1x Wire shelf, 1x Enamel dripping pan, 1x Enamel cake tray
5	10
✓	✓

5	10
√	\checkmark
√	\checkmark
-	\checkmark
√	-
Steam Assisted	Pyrolytic
-	\checkmark
5	5
-	\checkmark
Double glazed	Triple glazed
√	\checkmark
-	\checkmark
√	\checkmark
√	\checkmark
-	\checkmark
Touch controls with knob	Touch controls with knob
Black	Black
Glass	Glass



KODDP71XA Built-in single oven



KOCBP21XA Built-In Single Oven

	C C	
Technical specifications		
Product type	Built-In Single Oven	
Product dimensions(mm)	594 (H) X 595 (W) X 569 (D)	
Cut-out dimensions (mm)	600 (H) X 560 (W) X 550 (D)	
Installation type	Built-in	
Energy type	Electric	
Capacity	72L	
Grill power (W)	2300	
Total wattage (W)	3390	
Accessories		
Items included	2x Wire shelf, 1x Enamel dripping pan, 1x Enamel cake tray	
Features		
No. of functions	19	
Timer	√	
Grill	√	
Steam	\checkmark	
Cleaning function	Pyrolytic	
Food Probe	\checkmark	
No. of shelf positions	5	
Telescopic rails	-	
Door glazing	Triple glazed	
Removable door	\checkmark	
SoftClose hinges	\checkmark	
Light	\checkmark	
Safety features		
AutoOff	\checkmark	
Child lock	\checkmark	
Design		
Controls	Touch controls	
Main colour	Black	
Main material	Glass	





KOAAS31X Built-in single oven

Built-In Single Oven	Built-In Warning Drawer
594 (H) X 595 (W) X 569 (D)	139 (H) X 595 (W) X 551 (D)
600 (H) X 560 (W) X 550 (D)	141 (H) X 560 (W) X 550 (D)
Built-in	Built-in
Electric	Electric
70L	6 place settings
2300	-
3500	400
2x Wire shelf, 1x Enamel dripping pan, 1x Enamel cake tray, 1x Stainless stellpan	- -
25	5
\checkmark	-
\checkmark	-
\checkmark	-
Steam Assisted	-
\checkmark	-
5	-
\checkmark	-
Quadruple glazed	-
√	-
\checkmark	-
4	-
4	✓
√	-
Touch controls	Manual & dial
Black	Black
Glass	Glass

Built-In Single Oven	Built-In Warning Drawer
594 (H) X 595 (W) X 569 (D)	139 (H) X 595 (W) X 551 (D)
600 (H) X 560 (W) X 550 (D)	141 (H) X 560 (W) X 550 (D)
Built-in	Built-in
Electric	Electric
70L	6 place settings
2300	-
3500	400
2x Wire shelf, 1x Enamel dripping pan, 1x Enamel cake tray, 1x Stainless stellpan	-
25	5
\checkmark	-
\checkmark	-
\checkmark	-
Steam Assisted	-
\checkmark	-
5	-
\checkmark	-
Quadruple glazed	-
\checkmark	-
\checkmark	-
\checkmark	-
\checkmark	\checkmark
\checkmark	-
Touch controls	Manual & dial
Black	Black
Glass	Glass

KBD4X Built-In Warming Drawer





Cut-out dimensions

KOHLH00KA


Built-In Single Oven


60cm Black glass

Cut-out dimensions

KOIGH00KA2

Built-In Single Oven 60 cm Black glass





Cut-out dimensions

KODDP71XA


Built-In Single Oven


60 cm Black glass with stainless steel trim

Cut-out dimensions

KOCBP21XA

Built-In Single Oven 60 cm Black glass with stainless steel trim





Cut-out dimensions

KOAAS31X

Built-In Single Oven

60 cm Black glass with stainless steel trim

Cut-out dimensions

KBD4X

Built-in warming drawer 60 cm Black glass with stainless steel trim



EHG9530BC Black Glass Built-In Gas Hob

Technical specifications	
Product type	Black Glass Built-In Gas Hob
Product dimensions(mm)	130 (H) X 900 (W) X 520 (D)
Cut-out dimensions (mm)	820 (W) X 475 (D)
Installation type	Built-in
Energy type	Gas
Burner type: Left front	Large
Burner type: Left rear	Medium
Burner type: Centre front	Small
Burner type: Centre rear	Medium
Burner type: Right front	Wok
Burner type: Right rear	-
Burner power: Left front	2.5kW
Burner power: Left rear	1.5kW
Burner power: Centre front	1.0kW
Burner power: Centre rear	1.5kW
Burner power: Right front	3.8kW
Burner power: Right rear	-
Features	
No. of cooking zones	5
Wok burner	\checkmark
Semi-rapid burner	\checkmark
Brass burners	\checkmark
One hand ignition	\checkmark
Cast iron pan supports	\checkmark
Safety features	
Flame failure device	\checkmark
Design	
Controls	Manual
Main colour	Black
Main material	Glass



EHG9430BCD Black Glass Built-In Gas Hob

Black Glass Built-In Gas Hob	Black Glass Built-In Gas Hob	
130 (H) X 900 (W) X 520 (D)	130 (H) X 900 (W) X 520 (D)	
820 (W) X 475 (D)	820 (W) X 475 (D)	
Built-in	Built-in	
Gas	Gas	
Wok	Wok	
-	Medium	
Medium	-	
Medium	-	
Large	Large	
-	Medium	
3.8kW	3.8kW	
-	1.5kW	
1.5kW	-	
1.5kW	-	
2.5kW	2.5kW	
-	1.5kW	
4	4	
\checkmark	\checkmark	
\checkmark	\checkmark	
Manual	Manual	
Black	Black	
Glass	Glass	



EHG9430BCI Black Glass Built-In Gas Hob



EHG6430BC Black Glass Built-In Gas Hob

Technical specifications	
Product type	Black Glass Built-In Gas Hob
Product dimensions(mm)	130 (H) X 600 (W) X 520 (D)
Cut-out dimensions (mm)	555 (W) X 475 (D)
Installation type	Built-in
Energy type	Gas
Burner type: Left front	Wok
Burner type: Left rear	Medium
Burner type: Centre rear	-
Burner type: Right front	Medium
Burner type: Right rear	Large
Burner power: Left front	3.8kW
Burner power: Left rear	1.5kW
Burner power: Centre rear	-
Burner power: Right front	1.5kW
Burner power: Right rear	2.5kW
Features	
No. of cooking zones	4
Wok burner	✓
Semi-rapid burner	\checkmark
Brass burners	\checkmark
Flexi cut out	-
One hand ignition	✓
FlameShield trivet	-
Cast iron pan supports	✓
Safety features	
Flame failure device	✓
Design	
Controls	Manual
Main colour	Black
Main material	Glass



EHG7330BC Black Glass Built-In Gas Hob

Black Glass Built-In Gas Hob	Black Glass Built-In Gas Hob
130 (H) X 780 (W) X 450 (D)	130 (H) X 900 (W) X 520 (D)
685 (W) X 400 (D)	700-865 (W) X 405-480 (D)
Built-in	Built-in
Gas	Gas
Wok	Extra Large: Wok
_	-
Medium	Medium
Large	Extra Large: Wok
-	-
3.8kW	5.2kW
_	-
1.5kW	2.0kW
2.5kW	5.2kW
-	-
3	3
√	✓
✓	\checkmark
✓	-
-	\checkmark
√	✓
-	\checkmark
\checkmark	\checkmark
\checkmark	✓
Manual	Manual
Black	Black
Glass	Glass



EHG9351BC Black Glass Built-In Gas Hob



EHG6330BC Black Glass Built-In Gas Hob


Technical specifications		
Product type	Black Glass Built-In Gas Hob	
Product dimensions(mm)	130 (H) X 600 (W) X 520 (D)	
Cut-out dimensions (mm)	555 (W) X 475 (D)	
Installation type	Built-in	
Energy type	Gas	
Burner type: Left front	Medium	
Burner type: Left rear	Large	
Burner type: Centre front		
Burner type: Right front	Wok	
Burner power: Left front	1.5kW	
Burner power: Left rear	2.5kW	
Burner power: Centre front	-	
Burner power: Right front	3.8kW	
Features		
No. of cooking zones	3	
Wok burner	\checkmark	
Semi-rapid burner	\checkmark	
Brass burners	✓	
One hand ignition	\checkmark	
Cast iron pan supports	\checkmark	
Safety features		
Flame failure device	✓	
Design		
Controls	Manual	
Main colour	Black	
Main material	Glass	







In Gas Hob
/) X 520 (D)
.90 (D)
n
e: Wok
/
al
(
3




Banch cut-out sizeviewed from front of banch, i.e. control ponel at front. This appliance must be installed and serviced only by qualified and duly authorised personnel.


Cut-out dimensions

EHG9530BC

Black Glass Built-In Gas Hob

90cm UltimateTaste 300 built-in gas hob with 5 cooking zones






Bench cut-out size viewed from thost of bench, i.e. control panel of front. This appliance must be installed and serviced only by qualified and duly authorised personnel.

Cut-out dimensions

EHG9430BCD


Black Glass Built-In Gas Hob 90cm UltimateTaste 300 built-in gas hob with 4 cooking zones




Bench cut-out size viewed from front of bench, i.e. control panel at front. This appliance must be installed and serviced only by qualified and duly authorised personnel.

Cut-out dimensions

EHG9430BCI







Bench cut-out size viewed from thorit of bench, i.e. control panel of front. This appliance must be installed and serviced only by qualified and duly authorised personnel.

Cut-out dimensions

EHG6430BC

Black Glass Built-In Gas Hob 60cm UltimateTaste 300 built-in gas hob with 4 cooking zones







Bench cut-out size viewed from front of bench, i.e. control panel at front. This appliance must be installed and serviced only by qualified and duly authorised personnel.

Cut-out dimensions

EHG7330BC

Black Glass Built-In Gas Hob






Cut-out dimensions


EHG9351BC


Black Glass Built-In Gas Hob 90cm UltimateTaste 700 built-in gas hob with 3 cooking zones





Bench cul-out size viewed from front of bench, i.e. control panel at front. This appliance must be installed and serviced only by qualified and duty authorised personnel.





Cut-out dimensions

EHG6330BC

Black Glass Built-In Gas Hob

Cut-out dimensions

EHG3141BC

Black Glass Built-In Gas Hob 31cm UltimateTaste 300 built-in gas hob with 1 cooking zones

Dimensions			
	width	depth	R
Cut-Out (mm)	265	490	50



EHI3251BE

Built-In Induction Hob



EHI645BE Built-In Induction Hob


Technical specifications	
Product type	Built-In Induction Hob
Product dimensions(mm)	51 (H) X 300 (W) X 520 (D)
Cut-out dimensions (mm)	270 (H) X490 (D)
Installation type	Built-in
Energy type	Electric
Burner type: Left front	Induction
Burner type: Left rear	Induction
Burner type: Centre front	-
Burner type: Centre rear	-
Burner type: Right front	-
Total wattage (W)	3500
Features	
No. of cooking zones	2
No. of power levels	9
Timer	\checkmark
Pause function	\checkmark
Pot sensor	\checkmark
Auto heat-up	\checkmark
Hob2Hood	-
Bridge	\checkmark
PowerBoost	\checkmark
SenseFry	-
Safety features	
AutoOff	\checkmark
Child lock	\checkmark
Lock	-
Residual heat indicator	\checkmark
Power management	✓
Design	
Controls	Touch controls
Main colour	Black
Main material	Glass


Built-In Induction Hob	Built-In Hybrid Induction Hob	
51 (H) X 590 (W) X 520 (D)	51 (H) X 910 (W) X 520 (D)	
560 (H) X490 (D)	880 (H) X490 (D)	
Built-in	Built-in	
Electric	Electric & Gas	
Induction	Gas Burner	
Induction	Induction	
Induction	Induction	
Induction	Induction	
-	Induction	
7400	7400	
	4+1	
9	9	
√	✓	
√	✓	
√	✓	
√	✓	
√	✓	
√	✓	
√	✓	
√	✓	
√	√	
√	✓	
√	✓	
√	✓	
√	✓	
Touch controls	Touch controls with knob	
Black	Black	
Glass	Glass	




EHH957BE Built-In Hybrid Induction Hob

Model: EHI325IBE







Cut-out dimensions


EHI3251BE

Cut-out dimensions

EHI645BE

Built-In Induction Hob

60cm UltimateTaste 700 built-in Black induction hob with 4 cooking zones



Cut-out dimensions

EHH957BE

Built-In Hybrid Induction Hob

90cm UltimateTaste 900 built-in Black hybrid induction hob with 4 cooking zones





	ECC9681G Chimney Extractor Hood	ECT9281G Chimney Extractor Hood	ECS9691G Slope Extractor Hood	ECS9181G Slope Extractor Hood
Technical specifications				
Product type	Chimney Extractor Hood	Chimney Extractor Hood	Slope Extractor Hood	Slope Extractor Hood
Product dimensions(mm)	599 (H) X 898 (W) X 505 (D)	545 (H) X 898 (W) X 505 (D)	830 (H) X 900 (W) X 420 (D)	830 (H) X 900 (W) X 420 (D)
Operating mode	Ducted	Ducted	Ducted	Ducted
Duct hole position	Тор	Тор	Тор	Тор
Features				
Suction Power (Sq ft.)	180	180	180	180
No. of fan speeds	3	3	3	3
Motor	Centrifugal	Centrifugal	Centrifugal	Centrifugal
No. of filters	1	1	1	1
Filter type	Coated steel	Coated steel	Coated steel	Coated steel
Dishwasher-safe filters	√	√	\checkmark	√
Filter change indicator	√	√	\checkmark	✓
Auto heat clean	\checkmark	\checkmark	✓	✓
Oil cup	LED	LED	LED	LED
Lighting	2	2	2	2
No. of lights	\checkmark	\checkmark	\checkmark	√
Gesture control	-	-	-	-
Breeze	-	-	-	-
Safety features				
Auto thermal cut-out safety switch	\checkmark	~	\checkmark	\checkmark
Design				
Controls	Touch controls	Touch controls	Touch controls	Touch controls
Main colour	Black	Black	Black	Black
Main material	Stainless steel	Coated steel	Coated steel	Coated steel



Slope Extractor Hood	Chimney Extractor Hood	Slope Extractor Hood	Slope Extractor Hood
Slope Extractor Hood	Chimney Extractor Hood	Slope Extractor Hood	Slope Extractor Hood
730-1090 (H) X 900 (W) X 420 (D)	435-815 (H) X 900 (W) X 454 (D)	1052-1329 (H) X 896 (W) X 382 (D)	1052-1329 (H) X 896 (W) X 382 (D)
Ducted or recirculating	Ducted or recirculating	Ducted	Ducted
Тор	Тор	Тор	Тор
210	210	470	440
3	3	6	4
Centrifugal	Centrifugal	Inverter	Centrifugal
1	3	1	1
Multi-layer aluminimum micromesh	Multi-layer aluminimum micromesh	Stainless steel baffle	Stainless steel baffle
✓	√	\checkmark	\checkmark
-	-	\checkmark	\checkmark
√	-	-	-
\checkmark	-	\checkmark	\checkmark
LED	LED	LED	LED
2	2	2	2
-	-	\checkmark	-
-	-	✓	-
✓	✓	✓	✓
•	·	·	•
Touch controls	Manual & buttons	Touch controls	Touch controls
Black	Black	Stainless steel	Stainless steel
Coated steel	Coated steel	Stainless steel	Stainless steel





ECS9612K lope Extractor Hood

ECS9610K Slope Extractor Hood

	ECC6681G Chimney Extractor Hood	ECT6281G Chimney Extractor Hood	ECS6691G Slope Extractor Hood	ECS6181G Slope Extractor Hood
Technical specifications				
Product type	Chimney Extractor Hood	Chimney Extractor Hood	Slope Extractor Hood	Slope Extractor Hood
Product dimensions(mm)	599 (H) X 598 (W) X 505 (D)	545 (H) X 598 (W) X 505 (D)	830 (H) X 600 (W) X 420 (D)	830 (H) X 600 (W) X 420 (D)
Operating mode	Ducted	Ducted	Ducted	Ducted
Duct hole position	Тор	Тор	Тор	Тор
Features				
Suction Power (Sq ft.)	180	180	180	180
No. of fan speeds	3	3	3	3
Motor	Centrifugal	Centrifugal	Centrifugal	Centrifugal
No. of filters	1	1	1	1
Filter type	Coated steel	Coated steel	Coated steel	Coated steel
Dishwasher-safe filters	\checkmark	\checkmark	\checkmark	\checkmark
Filter change indicator	\checkmark	\checkmark	\checkmark	\checkmark
Auto heat clean	√	4	✓	√
Oil cup	LED	LED	LED	LED
Lighting	2	2	2	2
No. of lights	✓	✓	\checkmark	\checkmark
Hob2Hood	-	-	-	-
Gesture control	-	-	-	-
Breeze	-	-	-	-
Safety features				
Auto thermal cut-out safety switch	4	4	✓	\checkmark
Design				
Controls	Touch controls	Touch controls	Touch controls	Touch controls

Controls	Touch controls	Touch controls	Touch controls	Touch controls
Main colour	Black	Black	Black	Black
Main material	Stainless steel	Coated steel	Coated steel	Coated steel



ECS6081G Slope Extractor Hood	ECT6623B Chimney Extractor Hood	ECI9455B Island Extractor Hood	ERCI927SA Island Extractor Hood	ECE5280HM Integrated Extractor Hood
Slope Extractor Hood	Chimney Extractor Hood	Island Extractor Hood	Island Extractor Hood	Integrated Extractor Hood
730-1090 (H) X 600 (W) X 420 (D)	435-815 (H) X 600 (W) X 454 (D)	500-1000 (H) X 898 (W) X 604 (D)	680-1220 (H) X 1200 (W) X 640 (D)	311 (H) X 1198.6 (W) X 499 (D)
Ducted or recirculating	Ducted or recirculating	Ducted or recirculating	Ducted	Ducted or recirculating
Тор	Тор	Тор	Тор	Тор
195	210	250	360	250
3	3	3	4	4
Centrifugal	Centrifugal	Centrifugal	Centrifugal	Centrifugal
1	2	3	1	4
Multi-layer aluminimum micromesh	Multi-layer aluminimum micromesh	Multi-layer aluminimum micromesh	Multi-layer aluminimum micromesh	Multi-layer aluminimum micromesh
√	\checkmark	√	√	✓
-	-	-	\checkmark	✓
	-	-	-	
LED		-	✓	-
2	LED	LED	LED	LED
	2	4	4	Ц.
	-	-	-	✓
-	-	-	-	-
-	-	-	-	
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

Touch controls	Manual & buttons	Touch controls	Touch controls	Manual & buttons
Black	Black	Black	Stainless steel	Stainless steel
Coated steel	Coated steel	Coated steel	Stainless steel	Stainless steel










KBC85X Built-in Coffee Maker

Technical specifications	
Product type	Built-in Coffee Maker
Product dimensions(mm)	455 (H) X 596 (W) X 361 (D)
Cut-out dimensions (mm)	450 (H) X 560 (W) X 550 (D)
Capacity (L)	3
Accessories	
Items included	SoftMove telescopic runners, 0.5L Thermal milk jug , Steam cloth cleaner, Coffee spoon, 2 x Descaling agent, Water softner, Water hardness strip tester
Features	
Keep warm	\checkmark
Aroma selector	√
AutoStart	\checkmark
Design	
Controls	Touch controls
Main colour	Stainless steel
Main material	Stainless steel



Cut-out dimensions

KBC85X

Built-In Coffee Maker

2.5L UltimateTaste 900 stainless steel and black built-in coffee maker 56cm







Food Preservation -Refrigerator

Keep your produce at its best for longer



A kitchen that knows what matters.

At Electrolux, our philosophy is simple: life in the kitchen should be seamless and intuitive.

That's why we've developed a new range with smart, sustainable features and clean lines for an effortless experience. So, you can concentrate on the things that make you happy: making and sharing great food with the people you love.

Swedish thinking. Better living.

Streamlined simplicity

A fridge should be a statement in your kitchen and Electrolux makes sure it's one of the most striking features in your kitchen. Ours are available in dark or natural stainless steel finishes for a seamless and elegant look.

Stylish and smart

High quality, mark-resistant real stainless steel, now available in a new measure.

Fresh fruit and veg, all week

TasteLockAuto maintains a humid environment to keep fruit and vegetables fresh and bursting with flavour for up to 7 days.* A membrane automatically releases excess moisture to reduce condensation and stop your produce from spoiling early.

The complete cooling solution

The TasteSealFlex convertible compartment easily adapts to the temperature you need, giving you the freedom to store everything from flavour by choosing one of the five temperature settings from -23°C

Optimal cooling, optimal taste

TwinTech Cooling consists of two independent cooling systems that work together to keep your fridge functioning at its best, every day. One system keeps your freezer chilled, while the other controls the refrigerator to keep temperature and humidity levels stable.





French door

features

Intuitive door design

With optimally **split doors** you have more usable space in your refrigerator door and can effortlessly reach for larger items, saving you

Fresh is best

Our innovative TasteLock crispers

keep your fruit and vegetables at their best for longer. While Easy-glide crisper drawers open effortlessly, even when they're full.

Thirst-quencher

Like a cool glass of pure, filtered water on cubed, or crushed ice? Your fridge is there to deliver, any time of the day or night - at the touch of a button. And you'll find the compact parties a breeze.

Smart on space

The thoughtful **Slide-back** and **Flip-up** shelving

SnackZone

The SnackZone is the **ideal compartment** for keeping those smaller ingredients separate for **easy access** such as fruit for your morning smoothie allowing you to be prepared before the week begins.



Heart of the home

Whether its fresh produce, drinks, or frozen food, our refrigerators have space for everything.





600L Matte Dark Grey Stainless Steel French Door Refrigerator

Technical info

EQE6000A-B

Product dimensions (mm)

1725H x 896 (W) x 782 (D)

Features

- Storage space for all types of food and drinks.
- TasteLockPlus keeps vegetables fresh for 7 days.
- EvenTemp reduces temperature fluctuations.
- TasteGuard keeps your fridge smelling fresh.
- Twist and Serve is perfect for ice.
- FlexStor allows you to customise your fridge.
- NutriFresh inverter compressor saves energy.
- QuickFreeze your groceries fast at -23°C.



526L Arctic Silver Steel French Door Refrigerator

EHE5224C-A

Technical info

Product dimensions (mm)

1725 (H) x 796 (W) x 773 (D)

Features

- TasteLockAuto keeps vegetables fresh for 7 days.
- Autolce maker ensures you always have ice at hand.
- EvenTemp reduces temperature fluctuations.
- TasteGuard keeps your fridge smelling fresh.
- · ChillRoom is ideal for meat, cheese, and snacks.
- NutriFresh inverter compressor saves energy.
- Bright LED lighting makes it easy to find items.

Swedish thinking. Better living.



Side by Side Refrigerator

Side by Side Refrigerator features

Quick Chill and Quick Freeze

QuickChill adjusts the fridge to 2°C for 90 minutes to quickly cool a large amount of groceries. With **QuickFreeze** adjust the freezer to -23°C for 90 minutes to quickly freeze groceries.

TasteLock

asteLock crisper allows you to **keep your fruit** and vegetables fresh and tasty for longer.



Clean, hygienic storage

TasteGuard uses a carbon filter to keep your fridge fresh, hygienic and free from unwanted odours* that can change the taste and smell of your food.

*93.5% reduction in odour tested using protocol GB21551.4-2010



545L Matte black steel side by side refrigerator

ESE5401A-B

Technical info

Product dimensions (mm) 1782 (H) x 836 (W) x 706 (D) Features

- NutriFresh inverter compressor saves energy.
- TasteLock keeps vegetables fresh
 and tasty.
- TasteGuard keeps your fridge
 smelling fresh .
- EvenTemp reduces temperature fluctuations.
- Twist and Serve is perfect for ice.
- QuickChill your groceries fast at 2°C.
- QuickFreeze your groceries fast at -23°C.
- Door alarm reminds you if the door is left open.







Bottom mount features

Fresh fruit and veg, all week

TasteLockAuto maintains a humid vegetables fresh and bursting with produce from spoiling early.

Fresh meat and fish, all week

Tender meat and delicious seafood, always stored and cooked from fresh. The TasteSeal compartment maintains keep your best ingredients in prime hygienic and fresh environment for your

Eventemp. tasty food.


EvenTemp keeps your food tasty for longer by minimising temperature fluctuations. By cooling each shelf compartment, preserving taste and

Clean, hygienic storage

TasteGuard uses a carbon filter to keep your fridge fresh, hygienic and

Excellent energy efficiency The NutriFresh inverter compressor

keeps the temperature in your fridge consistent to save energy, whilst keeping food and drinks fresh. temperatures, to ensure your produce



529L Stainless Steel Bottom Freezer Refrigerator

EBE5302C-S

Technical info

- Features

454L Stainless Steel Bottom Freezer Refrigerator

Technical info

EBE4502C-S

Product dimension 1725 (H) x 699 (W)



360L Glossy Black Steel Bottom Freezer Refrigerator

Technical info

EBB3702K-H

1756 (H) x 598 (W) x 650 (D) Metal tray



ns (mm)) x 723 (D)	•	TasteLockAuto keeps vegetables fresh for 7 days.
	•	EvenTemp reduces temperature fluctuations.
	•	TasteGuard keeps your fridge smelling fresh.
	•	NutriFresh inverter compressor saves energy.
	•	Spacious freezer provides ample storage.

- FlexStor allows you to customise your fridge.
- Twist and Serve is perfect for ice.
- Bright LED lighting makes it easy to find items.

Features

Product dimensions (mm) • TasteSeal keeps fish for 7 days without freezing. TasteLockAuto keeps vegetables fresh for 7 days.

- EvenTemp reduces temperature fluctuations.
- TasteGuard keeps your fridge smelling fresh.
- Stainless steel tray for hygienic storage.
- Twist and Serve is perfect for ice.
- NutriFresh inverter compressor saves energy.



Top mount features

Customisable door design

Customise your fridge just the way you want it. **FlexStor** makes it simple to arrange the fridge to your needs with adjustable door bins and shelves. accommodate items big or small.

Eventemp. Tasty food.

EvenTemp keeps your food tasty for longer by minimising temperature fluctuations. By cooling each shelf individually, a consistent temperature is maintained throughout the entire compartment, preserving taste and texture for longer.

Clean, hygienic storage

TasteGuard uses a carbon filter to keep your fridge fresh, hygienic and free from unwanted odours* that can change the taste and smell of your food.

Fresh meat and fish, all week

Tender meat and delicious seafood, The TasteSeal compartment maintains a consistent temperature of -2°C to keep your best ingredients in prime condition for up to 7 days** without freezing. This means that you can always cook from is juicy in texture, bright in colour, and delicious in taste.

*Passed TUV Rheinland testing of microbiology plate count in salmon, chicken, and beef. Average weight loss <2% after 7 days. Sample te<u>sted</u> EBB3702K.





573L Arctic Silver Steel Top Freezer Refrigerator	Technical info	Features	
ЕТЕ5700С-А	Product dimensions (mm) 1825 (H) x 796 (W) x 723 (D)	 TasteLockAuto keeps vegetables fresh for 7 days. 	
	1023 (11) x 7 70 (11) x 7 20 (2)	 EvenTemp reduces temperature fluctuations. 	
		 TasteGuard keeps your fridge smelling fresh. 	
		 NutriFresh inverter compressor saves energy. 	
		 ChillRoom is ideal for meat, cheese, and snacks. 	
		 FlexStor allows you to customise your fridge. 	
		Twist and Serve is perfect for ice.	
		 Bright LED lighting makes it easy to find items. 	
	Technical info	Features	360L Glossy Black Steel Top Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 Features TasteLockAuto keeps vegetables fresh for 7 days. 	
Freezer Refrigerator		TasteLockAuto keeps vegetables	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor 	Freezer Refrigerator
460L Arctic Silver Steel Top Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor saves energy. ChillRoom is ideal for meat, 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor saves energy. ChillRoom is ideal for meat, cheese, and snacks. FlexStor allows you to customise 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor saves energy. ChillRoom is ideal for meat, cheese, and snacks. FlexStor allows you to customise your fridge. 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor saves energy. ChillRoom is ideal for meat, cheese, and snacks. FlexStor allows you to customise your fridge. Twist and Serve is perfect for ice. Bright LED lighting makes it easy 	Freezer Refrigerator
Freezer Refrigerator	Product dimensions (mm)	 TasteLockAuto keeps vegetables fresh for 7 days. EvenTemp reduces temperature fluctuations. TasteGuard keeps your fridge smelling fresh. NutriFresh inverter compressor saves energy. ChillRoom is ideal for meat, cheese, and snacks. FlexStor allows you to customise your fridge. Twist and Serve is perfect for ice. Bright LED lighting makes it easy 	Freezer Refrigerator

Features

Product dimensions (mm)

Technical info

Metal tray

- 1756 (H) x 598 (W) x 650 (D)
- TasteSeal keeps fish for 7 days without freezing.
- TasteLockAuto keeps vegetables fresh for 7 days.
- EvenTemp reduces temperature fluctuations.
- TasteGuard keeps your fridge
 smelling fresh.
- Stainless steel tray for hygienic storage.
- Twist and Serve is perfect for ice.
- NutriFresh inverter compressor saves energy.





EQE6879A-B UltimateTaste 900 UI

EHE5224C-A UltimateTaste 700

Product type	French Door Refrigerator	French Door Refrigerator	French Door Refrigerator
Installation type	Freestanding	Freestanding	Freestanding
Product dimensions (mm)	1782 (H) x 913 (W) x 749 (D)	1725H x 896 (W) x 782 (D)	1725 (H) x 796 (W) x 773 (D)
Gross capacity (L)	680	600	526
Net capacity (L)	609	541	491
Features			
Chiller	TasteSealFlex	-	Chill room
Crisper	TasteLockAuto	TasteLockPlus	TasteLockAuto
Cooling system	TwinTech	EvenTemp	EvenTemp
Inverter compressor	✓	√	✓
Water dispenser	Tank	-	-
lce maker	Autolce	Twist & serve	Autolce
TasteGuard	✓	✓	√
FlexStor	\checkmark	✓	√
QuickChill	\checkmark	-	✓
QuickFreeze	\checkmark	✓	✓
DrinksChill	\checkmark	-	✓
Sabbath mode	\checkmark	-	-
Holiday mode	\checkmark	\checkmark	✓
Egg tray	\checkmark	\checkmark	✓
Eco Mode	-	-	✓
Flip-up Shelf	\checkmark	-	-
Slide Back Shelf	\checkmark	-	-
SnackZone	\checkmark	-	-
Safety features			
Door alarm	\checkmark	\checkmark	\checkmark
Design			
Controls	Digital	Digital	Digital
Main colour	Stainless steel	Stainless steel	Silver
Main material	Stainless steel	Coated steel	Coated steel

Side by Side Refrigerator

	Oltinateraste 700	
Technical specifications		
Product type	Side By Side Refrigerator	
Installation type	Freestanding	
Product dimensions (mm)	1782 (H) x 836 (W) x 706 (D)	
Gross capacity (L)	545	
Net capacity (L)	505	
Features		
Crisper	TasteLock	
Cooling system	EvenTemp	
Inverter compressor	\checkmark	
Ice maker	Twist & serve	
TasteGuard	\checkmark	
QuickChill	\checkmark	
QuickFreeze	\checkmark	
Holiday mode	\checkmark	
Egg tray	\checkmark	
Safety features		
Door alarm	\checkmark	
Design		
Controls	Digital	
Main colour	Black	
Main material	Coated steel	



ESE5401A-B UltimateTaste 700





EBE5302C-S

EBE4502C-S UltimateTaste 500

Technical specifications		
Product type	Bottom Freezer Refrigerator	Bottom Freezer Refrigerator
Installation type	Freestanding	Freestanding
Product dimensions (mm)	1725 (H) x 796 (W) x 723 (D)	1725 (H) x 699 (W) x 641 (D)
Gross capacity (L)	529	454
Net capacity (L)	496	425
Features		
Chiller	-	-
Crisper	TasteLockAuto	TasteLockAuto
Cooling system	EvenTemp	EvenTemp
nverter compressor	√	√
ce maker	Twist & serve	Twist & serve
asteGuard	\checkmark	\checkmark
lexStor	\checkmark	\checkmark
QuickFreeze	\checkmark	✓
gg tray	\checkmark	✓
Connection Kit Compatible	-	-
afely features		
Door alarm	\checkmark	✓
Design		
Controls	Digital	Digital
1ain colour	Stainless steel	Stainless steel
1ain material	Stainless steel	Stainless steel

Okimalerasie 500
Bottom Freezer Refrigerator
Freestanding
1725 (H) x 598 (W) x 650 (D)
360
335
TasteSeal
TasteLockAuto
EvenTemp
\checkmark
Twist & serve
\checkmark
-
-
\checkmark
\checkmark
\checkmark
Digital
Black
Coated steel



EBB3702K-H UltimateTaste 300





ETB4600C-A UltimateTaste 500

Product type	Top Freezer Refrigerator	Top Freezer Refrigerator
Installation type	Freestanding	Freestanding
Product dimensions (mm)	1825 (H) x 796 (W) x 723 (D)	1725 (H) x 699 (W) x 723 (D)
Gross capacity (L)	573	460
Net capacity (L)	537	431
Features		
Chiller	Chill room	Chill room
Crisper	TasteLockAuto	TasteLockAuto
Cooling system	EvenTemp	EvenTemp
nverter compressor	✓	✓
ce maker	Twist & serve	Twist & serve
TasteGuard	\checkmark	\checkmark
FlexStor	\checkmark	\checkmark
QuickChill	√	\checkmark
Egg tray	\checkmark	\checkmark
Connection Kit Compatible	-	-
Safety features		
Door alarm	\checkmark	\checkmark
Design		
Controls	Digital	Digital
Main colour	Silver	Silver
Main material	Coated steel	Coated steel

Ortificate 300
Top Freezer Refrigerator
Freestanding
1756 (H) x 598 (W) x 650 (D)
360
341
TasteSeal
TasteLockAuto
EvenTemp
\checkmark
Twist & serve
✓
\checkmark
✓
\checkmark
Digital
Black
Coated steel





ETB3700K-H UltimateTaste 300







looking newer longer

The right amount of care

A laundry that knows what matters. At Electrolux, our philosophy is simple: the laundry should be seamless and intuitive. That's why our design team have developed it's new range with smart, sustainable features and clean lines for an effortless experience. So you can focus on the things that make you happy.

Swedish thinking. Better living.

Make your clothes last

Looking after your clothes is effortless, with Electrolux. Our washers come with a range of smart features that keep your favourites looking their best, for longer.

Goodbye Detergent Residues

UltraMix technology thoroughly dissolves detergent, so no visible residue remains on your clothes.

Clean with added hygiene

The **HygienicCare** option finishes the wash cycle with a **soft spray of vapour** to remove up to 99.9% of allergens and germs.* HygienicCare produces vapour at just 40°C, so it is gentler on your fabrics, whilst also saving energy.

50% More efficient

The **EcoInverter** motor reduces vibration to deliver quiet, reliable performance with up to **50% Iower energy consumption** compared to traditional models**. Plus it's guaranteed for 10 years.

*Electrolux front load washers with Vapour / Hygienic Care option remove up to 99.2% of Der fl (dust mite) and Fel dl (cat allergen) and upto 99.9% of Staphylococcus aureus and Klebsiella pneumonia during a 40°C cottons wash.

**50% lower energy consumption EWF8024BDWA vs. previous model EWF8025EQWA



Washer Features

No more wrinkles

Vapour not only reduces wrinkles, it also eradicates up to 99% of allergens and germs for a clean that's more than just superficial.

Hand it to us

You can safely trust your washer to treat your delicate wool garments with utmost care. Our woolmark certified **cycle** is proven to be gentle even your hand wash only woollens, keeping them as fresh and lovely as they felt when you first put them on.

Fit more in

Just back from a big trip? The new, extra-large door opening makes for seamless loading or unloading of your laundry.











9 kg Front Load Washer

EWF9024R5WB

UltimateCare 500 Series

Product dimensions (mm) 850 (H) x 600 (W) x 636 (D) Drain hose hanger, Cap hole

Technical info

Features

• No more visible detergent residue with UltraMix.

- HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C.
- EcoInverter motor uses
 50% less energy.
- Set quick cycles to suit your schedule.
- Woolmark program is as gentle as handwashing.
- Add clothes up to 15 mins after the cycle starts.
- Adjust temperatures to care for different fabrics.

9 kg Front Load Washer

Technical info

EWF9024D3WB

UltimateCare 300 Series

Product dimensions 850 (H) x 600 (W) x Drain hose hanger, Cap H



8 kg Front Load Washer

Technical info

EWF8024R5WB UltimateCare 500 Series

Product dimensions 850 (H) x 600 (W) x Drain hose hanger, Cap H



Features

ons (mm) .) x 636 (D)	HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C.
ip hole .	Ecolnverter motor uses 50% less energy.
	Set quick cycles to suit your

- Adjust temperatures to care for different fabrics.
- Add clothes up to 15 mins after the cycle starts.
- Large door makes unloading easy.

schedule.

Features

ns (mm) x 552 (D)	 No more visible detergent residue with UltraMix.
hole	 HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C.
	 EcoInverter motor uses 50% less energy.
	 Set quick cycles to suit your schedule.
	Woolmark cycle for

- machine-washable woollens.Add clothes up to 15 mins after the cycle starts.
- Adjust temperatures to care for different fabrics.


EWF7524D3WB

UltimateCare 300 Series

Product dimensions (mm) 850 (H) x 600 (W) x 552 (D) Drain hose hanger, Cap hole



- HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C.
- EcoInverter motor uses 50% less energy.
- Set quick cycles to suit your . schedule.
- Adjust temperatures to care for different fabrics.
- Add clothes up to 15 mins after the cycle starts.
- Large door makes unloading easy.







Washer Dryers

Wash, dried and cared for in one go

You'll love the efficiency and performance of our washer-dryer range. Using the latest technology, they'll wash, then perfectly drying your clothes – without compromising on stunning results. Saving you time in your busy day.

Dry in clean air

The **automatic wash** to dry program keeps your clothes away from polluted outdoor air to ensure that **sensitive skin stays safe**. Thus they will be as clean after drying as they were after washing.

As gentle as handwashing*

Confidently wash your most precious woollen garments, even when the label says "hand-wash only". Our dedicated wool cycle combines low temperatures with very low spin speeds and is certified by Woolmark to be as gentle on woollens as hand-washing.

Care for your wardrobe

Cottons, delicates, white, or colours, Electrolux washers gives you the **flexibility to adapt the cycle temperature** depending on the fabric type. Select from **6 temperature settings** to ensure that all your fabrics are washed with the right level of care.







yool wash cycle of this machine has been approved by The Woolmark pany for the washing of wool garments labelled as "hand wash" provided he garments are washed accordingto the instructions issued by the facturer of this washing machine. Follow the garment care label for drying other laundry instructions. M0000.



9/6 kg Washer Dryer

EWW9024P5WB UltimateCare 500 Series Product dimensions (mm) 850 (H) x 600 (W) x 636 (E

Technical info

Features

- No more visible detergent residue with UltraMix.
- HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C.
- Ecolnverter motor uses 50% less energy.
- Set quick cycles to suit your schedule.
- Woolmark program is as gentle as handwashing.
- Add clothes up to 15 mins after the cycle starts.
- Adjust temperatures to care for different fabrics.
- Wash to Dry keeps clothes away from air pollution.



8/5 kg Washer Dryer

Technical info

EWW8024D3WB

UltimateCare 300 Series

Product dimensions (mm)

850 (H) x 600 (W) x 537 (D) Hoses not included.

Features

HygienicCare removes 99.9% allergens and germs by releasing vapour at 40° C. EcoInverter motor uses 50% less energy. Set quick cycles to suit your schedule. Adjust temperatures to care for different fabrics.

- Add clothes up to 15 mins after the cycle starts.
- Wash to Dry keeps clothes away from air pollution.



Dryers

Delicate care

Electrolux dryers adjust temperatures and motion for precise care. So you can relax, knowing you never have to worry about your favourite t-shirt or pants coming out a size too small, ever again.

Electrolux Venting Dryers are more energy efficient than condenser Dryers.

1/3 Less wrinkles*

Alternating drum movements prevent clothes from tangling, reduces wrinkles by up to one third compared to hang drying* to make ironing quick and easy.


Intelligent cycles

Sensors measure the dryness of clothes during the cycle, adjusting drying times to reduce wear and tear.

Save time with fast cycles

Select the **30 minute timed cycle** to dry everyday fabrics, cotton or blended fabrics that need to be dried quickly. This program **dries your smaller loads within 30 minutes**, for those times you just need to get things done quickly.

*32% less wrinkles vs. hang drying - tested and certified by THTI





Comparisons

80% Less fading

Keep your colours vibrant for longer by trusting them to **UltimateCare** dryers. Reds stay rich and blacks stay black with up to **80% less colour fading** compared to sun dryina*.



Perfect Pairing

The complete care solution

Pair UltimateCare washers and dryers for a complete fabric care solution. Technologies work in harmony to deeply clean and gently care from your clothes from wash through to dry. **Seamlessly aligned design** means you can install side by side or use a stacking kit to secure the dryer above the washer. **UltimateCare, ultimate flexibility**.

*80% less colour fading vs. sun drying tested and certified by UL





8.5 kg Venting Dryer

Technical info

EDV854J3WB UltimateCare 300 Series Product dimensions 850 (H) x 600 (W) x

Wall mounting kit, Venting kit



7.5 kg Venting Dryer

Technical info

Product dimensions (mm)

EDV754H3WB UltimateCare 300 Series

Wall mounting kit



Features

5	(mm)				
ľ	600	(D)			

- ReverseTumbling reduces wrinkles up to 1/3.
- Sensors adjust cycles to reduce wear and tear.
- ColourCare reduces fading by up to 80%.
- 30 minute cycle for drying smaller loads quickly.
- Perfect pair washers and dryers for total care.
- Large capacity for thorough drying.

Features

ReverseTumbling reduces wrinkles up to 1/3. 850 (H) x 600 (W) x 560 (D) • Sensors adjust cycles to reduce wear and tear.

- ColourCare reduces fading by up to 80%.
- 30 minute cycle for drying smaller loads quickly.
- Large capacity for thorough drying.
- Perfect pair washers and dryers for total care.



EWF9024R5WB UltimateCare 500 Series



EWF9024D3WB UltimateCare 300 Series

Technical specifications		
Product type	Front Load Washer	Front Load Washer
Installation type	Freestanding	Freestanding
Product dimensions (mm)	850 (H) x 600 (W) x 636 (D)	850 (H) x 600 (W) x 636 (D)
Capacity (kg)	9	9
Drum volume (L)	69	69
Spin speed (rpm)	1200	1200
Total Wattage (W)	2000	2000
Features		
Door hingesa	Left	Left
Net product weight (kg)	73	71
Gross product weight (kg)	77	75
No. of programs	15	12
Variable temperatures	\checkmark	\checkmark
Motor	EcoInverter	Ecolnverter
Timer delay	Delay end	Delay end
Quick cycles	\checkmark	\checkmark
Favourite cycle	\checkmark	-
HygienicCare	\checkmark	\checkmark
UltraMix	\checkmark	-
Woolmark approved	Woolmark Certified	-
Safety Features		
Child lock	\checkmark	\checkmark
Design		
Controls	Touch controls with knob	Touch controls with knob
Main colour	White	White





EWF8024R5WB UltimateCare 500 Series	EWF8024D3WB UltimateCare 300 Series	EWF7524D3WB UltimateCare 300 Series
olumatecare 500 series	Ultimate Care 300 Series	OltimateCare 300 Series
		_
Front Load Washer	Front Load Washer	Front Load Washer
Freestanding	Freestanding	Freestanding
850 (H) x 600 (W) x 552 (D)	850 (H) x 600 (W) x 552 (D)	850 (H) x 600 (W) x 552 (D)
8	8	8
53	53	53
1200	1200	1200
2000	2000	2000
Left	Left	Left
66.5	64.5	64.5
70	68	67.0-68.0
15	12	12
✓	\checkmark	\checkmark
Ecolnverter	Ecolnverter	Ecolnverter
Delay end	Delay end	Delay end
✓	✓	✓
✓	-	-
✓	✓	✓
\checkmark	-	-
Woolmark Certified	-	-
√	✓	√
Touch controls with knob	Touch controls with knob	Touch controls with knob
White	White	White



EWE7524D3WB

155



EWW9024P5WB UltimateCare 500 Series

Product type	Washer Dryer		
Installation type	Freestanding		
Product dimensions (mm)	850 (H) x 600 (W) x 636 (D)		
Capacity (kg)	9/6		
Drum volume (L)	69		
Spin speed (rpm)	1200		
Total Wattage (W)	2000		
Features			
Door hingesa	Left		
Net product weight (kg)	77		
Gross product weight (kg)	81		
No. of programs	15		
Variable temperatures	✓		
Motor	Ecolnverter		
Timer delay	Delay start		
Quick cycles	✓		
Favourite cycle	\checkmark		
HygienicCare	\checkmark		
UltraMix	\checkmark		
Woolmark approved	Woolmark Certified		
Safety Features			
Child lock	\checkmark		
Design			
Controls	Touch controls with knob		
Main colour	White		



EWW8024D3WB UltimateCare 300 Series

Washer Dryer
Freestanding
850 (H) x 600 (W) x 537 (D)
8/5
51
1200
2000
Left
63.5
67
12
√
Ecolnverter
Delay start
\checkmark
√
- -
\checkmark
Touch controls with knob
White





EDV854J3WB UltimateCare 300 Series

Technical specifications		
Product type	Venting Dryer	
Installation type	Freestanding	
Product dimensions (mm)	850 (H) x 600 (W) x 600 (D)	
Capacity (kg)	9	
Drum volume (L)	102	
Total Wattage (W)	2100	
Noise level (dB) - not available from R&D	62.7	
Features		
Door hingesa	Left	
Net product weight (kg)	28.6	
Gross product weight (kg)	32.5	
No. of programs	12	
Variable temperatures	3	
Motor	Standard Motor	
Quick cycles	\checkmark	
HygienicCare	\checkmark	
Safety Features		
Child lock	\checkmark	
Design		
Controls	Touch controls with knob	
Main colour	White	



Venting Dryer
Freestanding
850 (H) x 600 (W) x 600 (D)
8
102
2100
62.7
Left
28.6
32.5
12
3
Standard Motor
√
√
\checkmark
Touch controls with knob
White



EDV754H3WB UltimateCare 300 Series





Swedish thinking. Better living





Dishwashing made easy

redefining your dishwashing experience through our dishwasher range that comes with advanced features such spray zone and glass care. With three-times better cleaning performance, you don't need to pre-soak your heavily soiled

Swedish intuition. Better comfort.

Clean with ExtraHygiene

The ExtraHygiene function gives you maximum cleaning performance with hygienic care. With the ExtraHygiene function, the final rinse phase heats up to above 60°C and keeps the temperature high for minimum 10 minutes to sanitize your dishes, removing more than 99.99% of bacteria and viruses.*

Make room for more

The MaxiFlex drawer accommodates everything from spoons to spatulas. From multiple cutlery sets to over-sized utensils, the flexible dividers mean you can customise the drawer according to the load. Flatware is kept separate from larger items and the added depth increases the capacity for each cycle.

Improve washing results

The ExtraPower option improves the cleaning results of selected wash programs by adding a boost in temperature to remove stubborn stains from your kitchenware.

All corners reached

The SprayZone function intensively cleans your cookware, with three-times better cleaning performance compared to our standard program. You don't need to pre-soak your heavily soiled dishes. The powerful water pressure brilliantly cleans everything placed within the dedicated space, every time.

Up to 3X better drying**

AirDry technology finishes each cycle with a breath of fresh air, performing three-times better than closed-door systems. The door automatically opens 10 cms towards the end of the drying phase, without you lifting a finger. This allows air to circlulate inside, leaving plates and cutlery completely dry and spotless at the end of the cycle, whilst also saving energy.

Clean machines

01

Our range of quiet, fuss-free dishwashers offer superb results - sparkling dishes, ergonomic stacking and swift cycles, keeping your favourite dishware beautifully clean.




or Micrococcus luteus and MS2 bacteriophage in external te satest Testmaterialien AG in 2021 (Test Report No. 20212029) **Compared with our closed system

SatelliteClean

Max coverage-max clean

SatelliteClean shoots **multiple jets of water** into every corner of the dishwasher to ensure every item is thoroughly cleaned. The **double rotation movement** continuously changes the angle of the water jets to ensure maximum coverage, delivering outstanding cleaning results.





SatelliteClean reaches all items with water jets.







Freestanding Dishwasher

Technical info

ESZ69300SX

60cm UltimateCare 700 freestanding dishwasher with 15 place settings

Product dimensions (mm) • MaxiFlex drawer space can be adapted to the load. 850 (H) x 598 (W) x 603 (D) SprayZone uses high pressure for flawless results. SoftGrips and SoftSpikes delicately hold glasses.

Features

- SatelliteClean reaches all items with water jets.
- ExtraPower option improves
 wash performance.
- Delay start of the program to suit your schedule.
- Adjustable upper basket makes room for more.
- MachineCare removes limescale and grease build-up.



Fully-Integrated Dishwasher

Technical info

EEM48330L

60cm UltimateCare 700 fully-integrated dishwasher with 14 place settings

Product dimensions (mm) 818 (H) x 596 (W) x 550 (D)

Cut-out dimensions (mm) 820-880 (H) x 600 (W) x 550 (D)

Features

- MaxiFlex drawer space can be adapted to the load.
- SoftGrips and SoftSpikes delicately hold glasses.
- SatelliteClean reaches all items with water jets.
- · Beam-on-Floor shows you when it's time to unload.
- ExtraPower option improves wash performance.
- Delay start of the program to suit your schedule.
- Adjustable upper basket makes room for more.
- MachineCare removes limescale and grease build-up.

Fully-Integrated Dishwasher

Technical info

KESD7100L

60cm UltimateCare 500 fully-integrated dishwasher with 13 place settings.

Product dimensions (mm)

818 (H) x 596 (W) x 550 (D)

Cut-out dimensions (mm) 820-880 (H) x 600 (W) x 550 (D)

Features

- SatelliteClean reaches all items with water jets.
- ExtraPower option improves wash performance.
- QuickSelect removes the guesswork of dishwashing.
- Eco Program is water and energy efficient.
- Delay start 3H
- Adjustable upper basket makes room for more.
- MachineCare removes limescale and grease build-up.



Semi-Integrated Dishwasher

60cm UltimateCare 700

with 14 place settings

semi-integrated dishwasher

EEM48300IX

Technical info

Product dimensions (mm)

818 (H) x 596 (W) x 575 (D)

Cut-out dimensions (mm)

820-880 (H) x 600 (W) x 550 (D)

Features

MaxiFlex drawer space can be adapted to the load.

- SatelliteClean reaches all items
 with water jets.
- ExtraHygiene removes 99.99% bacteria & viruses.
- ExtraPower option improves wash performance.
- QuickSelect removes the guesswork of dishwashing.
- Delay start of the program to suit your schedule.
- Adjustable upper basket makes room for more.
- MachineCare removes limescale
 and grease build-up.





ESZ69300SX Freestanding dishwasher

Technical specifications	
Product type	Freestanding Dishwasher
Installation type	Freestanding
Product dimensions (mm)	850 (H) x 598 (W) x 603 (D)
Cut-out dimensions (mm)	-
Water consumption for eco program (L)	11
Water supply	Cold or hot (maximum 60°C)
Drain hose length (m)	1.8
Noise level (dB)	42
Features	
No. of place settings	15
No. of programs	8
Filter stages	3
No. of spray arms	3
No. of spray levels	3
SatelliteClean	\checkmark
SprayZone	\checkmark
Inverter system	\checkmark
Foldable racks in lower basket	4
Foldable cup shelves in upper basket	4
Cutlery rack	MaxiFlex
GlassCare	✓
Delay start	√
QuickSelect	\checkmark
ExtraHygiene program	-
Eco program	\checkmark
AirDry	\checkmark
PerfectFit sliding hinges	-
Safety features	
Anti-flood system	✓
Design	
Controls	Buttons
Main colour	Stainless steel









KESD7100L Fully-integrated dishwasher	EEM48330L Fully-integrated dishwasher	EEM48300IX Semi-Integrated Dishwasher
Fully-integrated Dishwasher	Fully-integrated Dishwasher	Semi-Integrated Dishwasher
Built-in	Built-in	Built-in
818 (H) x 596 (W) x 550 (D)	818 (H) x 596 (W) x 550 (D)	818 (H) x 596 (W) x 575 (D)
820-880 (H) × 600 (W) × 550 (D)	820-880 (H) x 600 (W) x 550 (D)	820-880 (H) x 600 (W) x 550 (D)
9.9	10.5	10.5
Cold or hot (maximum 60°C)	Cold or hot (maximum 60°C)	Cold or hot (maximum 60°C)
1.5	1.5	1.5
48	42	42
13	14	14
6	8	8
3	3	3
2	3	3
2	3	3
1	\checkmark	✓
-	-	-
1	√	✓
-	4	4
2	2	2
Standard Basket	MaxiFlex	MaxiFlex
-	√	-
✓	√	✓
✓	✓	✓
-	-	✓
✓	✓	✓
\checkmark	√	✓
\checkmark	-	✓
4	✓	×
Touch controls with buttons	Touch controls with buttons	Buttons
Black	Black	Stainless steel






*40-175

**100-235 160-295





Cut-out dimensions

940

KESD7100L

Fully-Integrated Dishwasher

60cm UltimateCare 500 fully-integrated dishwasher with 13 place settings.


Cut-out dimensions


EEM48300IX

Semi-Integrated Dishwasher

60cm UltimateCare 700 semi-integrated dishwasher with 14 place settings

*100-170 **180-250





Cut-out dimensions

EEM48330L

Fully-Integrated Dishwasher

60cm UltimateCare 500 fully-integrated dishwasher with 13 place settings.







Swedish thinking. Better living.

Love the way you live

Wellbeing. It's that contented state being in a comfortable, clean, and healthy home, and your wellbeing is at the heart of the Electrolux philosophy. Our products are designed to fit seamlessly into your home while enhancing your life, from the air you breathe to the joy of a hot shower, and floors that feel luxuriously clean underfoot. Aesthetically pleasing forms follow effortless function creating products that you'll enjoy using every day.

Swedish thinking. Better living. 



Air Conditioners

Fresher, cleaner air

Control your indoor climate simply and intuitively with sustainable air conditioners designed to also care about energy efficiency and the environment.

A cool, healthier home

The efficient filtration system reduces up to 99.8% of harmful bacteria* to keep your home air healthier. The **4-stage filtration** (with plasma filter) consists of a dust filter (nylon), antibacterial filter and PM2.5 filter, to ensure your air is as clean as it is cool. The efficient filtration system is capable of filtering PM particles size PM0.3, PM2.5 to ensure that you are always living in cleaner, fresher and healthier air.

*Klebsiella pneumonia, E.Coli, Staphylococcus albus, tested by external independent laboratory, 2022.

Your ideal air, automatically


Keep I-Feel close and you'll always feel cool. Simply select your ideal settings and your air conditioner will automatically adjust whenever the I-Feel remote-control sensor is in the same room. The I-feel function runs your air conditioner at a **faster speed** until it reaches your desired temperature, before returning to normal speed.

A healthy home

More than keeping your home at the perfect temperature, Electrolux air conditioners' filtration technology also purifies and freshens, surrounding you with healthier and cleaner air.













Air Conditioners features

Optimal comfort, every corner

The **360° cooling** function, which combines vertical and horizontal auto swing, generates directed airflow from the air conditioner to maintain a consistent temperature across the room. That lets the air conditioner distribute air uniformly throughout any room, delivering 360° of even airflow to reduce hot and cold spots in the space to provide optimal comfort.

Use only what's required

The **convertible function** is designed to help you only use the cooling capacity that is required based on your needs. You are able to change he speed of the compressor based on the number of people at home or the temperature butside, helping you to save energy. Good for he environment and good for reducing your bower bills.

Air Conditioners

Added protection from corrosion

A greener machine

R32 refrigerant generates no ozone

Let's go steady





Inverter Air Conditioner

Technical I	nformation
-------------	------------

Features

- ESV223C2CA

- · Cooling Capacity-Based on your
- Product Dimensions (mm)
- 295 (H) x 1030 (W) x 222 (D)



- 360° cooling generates even

- R32 refrigerant causes no ozone

10

Inverter Air Conditioner

ESV185C3NA

UltimateHome 500

- Technical Information

Product Dimensions (mm)



Features

- 360° cooling generates even



Technical Information

ESV185C3HA

UltimateHome 500 1.5 Ton 5 Star AC

· Room Coverage-Cooling Capacity

- needs
- R32 refrigeration
- · Fan Speeds- 3X

Product Dimension

Indoor Unit 295 (H) x 1030 (W)

Outdoor Unit 1135 (H) x 355 (W)



Inverter Air Conditioner

ESV183C1AA

UltimateHome 300

1.5 Ton 3 Star AC

Technical Information

- · Cooling Capacity-Based on your needs
- R32 refrigeration
- · Fan Speeds- 3X

Product Dimensions (mm)

Indoor Unit 295 (H) x 1030 (W) x 222 (D)

Outdoor Unit 1135 (H) x 355 (W) x 290 (D)







Features

Up to 247 Sq ft - Based on your	 PureProtect filtration reduces up to 99.8% bacteria.
	 Cooling capacity based on your needs
	 360° cooling generates even airflow across room.
ns (mm)	 I-Feel automatically maintains your optimal temperature.
x 222 (D)	 BlueTech Shield protects for longe performance.
x 290 (D)	 R32 refrigerant causes no ozone depletion.

· Inverter technology is stable, quiet, & efficient.

• Room Coverage- Up to 247 Sq ft

• 3-step filtration reduces up to 99.8% bacteria.

Features

- · Cooling capacity based on your needs
- I-Feel automatically maintains your optimal temperature.
- BlueTech Shield protects for longer performance.
- R32 refrigerant causes no ozone depletion.
- · Inverter technology is stable, quiet, & efficient.



Inverter Air Conditioner	Technical Information	Features	Inverter Air Conditioner	Technical Information
ESV183C2UA	• Room Coverage- Up to 247 Sq ft	 3-step filtration reduces up to 	ESV125C3HA	• Room Coverage- Up to
UltimateHome 300 1.5 Ton 3 Star AC	 Cooling Capacity- Based on your needs 	99.8% bacteria.Cooling capacity based on your	UltimateHome 500 1 Ton 5 Star AC	 Cooling Capacity- Base needs
	• R32 refrigeration	needs		R32 refrigeration
	• Fan Speeds- 3X	 360° cooling generates even airflow across room. 		• Fan Speeds- 3X
	Product Dimensions (mm) Indoor Unit 295 (H) x 1030 (W) x 222 (D) Outdoor Unit	 I-Feel automatically maintains your optimal temperature. 		Product Dimensions (m
				Indoor Unit
		BlueTech Shield protects for longer		295 (H) x 830 (W) x 222 (
		performance.		Outdoor Unit 935 (H) x 355 (W) x 290 (
	1135 (H) x 355 (W) x 290 (D)	 R32 refrigerant causes no ozone depletion. 		

• Inverter technology is stable, quiet,



Inverter Air Conditioner

ESV183C2CA

UltimateHome 300 1.5 Ton 3 Star AC

- Room Coverage- Up to 247 Sq ft · Cooling Capacity- Based on your needs
- \cdot R32 refrigeration • Fan Speeds- 3X

Technical Information

Product Dimensions (mm) Indoor Unit 295 (H) x 1030 (W) x 222 (D)

Outdoor Unit 1135 (H) x 355 (W) x 290 (D) Features

& efficient.

- \cdot 3-step filtration reduces up to 99.8% bacteria.
- · Cooling capacity based on your needs
- · 360° cooling generates even airflow across room.
- I-Feel automatically maintains your optimal temperature.
- BlueTech Shield protects for longer performance.
- R32 refrigerant causes no ozone depletion.
- · Inverter technology is stable, quiet, & efficient.

Inverter Air Conditioner

ESV123C2UA

1 Ton 3 Star AC

UltimateHome 300

N TANK N

Technical Informati


- · Room Coverage-
- · Cooling Capacityneeds
- R32 refrigeration
- Fan Speeds- 3X

Product Dimension

Indoor Unit 295 (H) x 830 (W) x

Outdoor Unit 935 (H) x 355 (W) x







L	U	
	-	

Features

Up to 247 Sq ft - Based on your	 PureProtect filtration reduces up to 99.8% bacteria.
	 Cooling capacity based on your needs
	 360° cooling generates even airflow across room.
ns (mm)	 I-Feel automatically maintains your optimal temperature.
222 (D)	BlueTech Shield protects for longer performance.
: 290 (D)	 R32 refrigerant causes no ozone depletion.
	 Inverter technology is stable, quiet, & efficient.

tion	Features
Up to 247 Sq ft - Based on your	 3-step filtration reduces up to 99.8% bacteria.
,	 Cooling capacity based on your needs
	 360° cooling generates even airflow across room.
ns (mm)	 I-Feel automatically maintains your optimal temperature.
s 222 (D)	 BlueTech Shield protects for longer performance.
(290 (D)	 R32 refrigerant causes no ozone depletion.
	 Inverter technology is stable, quiet, & efficient.



Inverter Air Conditioner

Technical Information

 \cdot R32 refrigeration

• Fan Speeds- 3X

Indoor Unit

Outdoor Unit

Product Dimensions (mm)

295 (H) x 830 (W) x 222 (D)

935 (H) x 355 (W) x 290 (D)

• Room Coverage- Up to 161 Sq ft

 Cooling Capacity- Based on your needs

Features

- 3-step filtration reduces up to 99.8% bacteria.
- Cooling capacity based on your needs
- I-Feel automatically maintains your optimal temperature.
- BlueTech Shield protects for longer performance.
- R32 refrigerant causes no ozone depletion.
- Inverter technology is stable, quiet, & efficient.



ESV123C1AA


UltimateHome 300 1 Ton 3 Star AC

Air Purifiers

Filters Air, Removes Bacteria

Five stage purification solution, includes PureProtect to neutralise up to 99.99% of trapped airborne, bacteria*, up to 99.9% of H1N1** virus and filters ultrafine particles as small as 0.003 microns***. It helps reduce airborne SARS-CoV-2 virus. Lab results showed removed up to 99.99%**** of the live virus.

*Tested to GB 21551.2-2010 Appendix B for bacteria Escherichia coli & Staphylococcus aureus**H1N1 Influenza virus tested to ISO18184-2019 for viruses A/PR8/34 H1N1 & HCoV-229E*** Up to 99.9% filtration on airborne particles as small as 3 nm based on the external test results according to ISO 16880**** Results from bio safety lab MRI Global indicate effective removal up to 99.99% of the live SARS-CoV-2 virus from a 0.37m*** test chamber. Not proven to kill SARS-CoV-2 or reduce or prevent transmission. Should be used in conjunction with other prevention methods. Test chamber results do not translate to unsealed or larger room sizes





Easy on your ears

When used in **Sleep Mode** the sound from this air purifier is barely noticeable. Even when running at maximum speed, the noise level comparable to a regular conversation at home*.

leasured 1m away in front of the product. Model number PA91-406.

Complete air quality

An advanced five-step air purification enables the capture of up to 99.98% of particles as small as **3 nm** (0.003 microns) in size* and up to 92% of **common Volatile Organic Compounds (VOCs)****. It reduces up to 99.99% of bacteria*** and 99% of H1N1**** virus and effectively reduces **human coronavirus** known as **HCov-229E******* for even cleaner and healthier air at home.

*Based on tests conducted by GTT Laboratory in Nov 2020 according to GB/T 14295-2008 standard

**Based on tests conducted by Azure Wind in Nov 2020 according to GB/T 18801-2015 standard

***Tested for Legionella pneumophila, Escherichia coli, Staphylococcus aureus and Serratia marcescens

****Tested for H1N1 influenza virus

*****Tested by Guangdong Detection Center of Microbiology, Test report #2021FM03107R01D, according to ISO standard

So portable. So adaptable.

So **lightweight** it can be carried with one hand by its handle, the unit can stand on the floor on its two legs, or easily be wall mounted to save floor space and facilitate cleaning. A choice of **fabric covers**, by world-renowned Danish textile manufacturer, Kvadrat, allow **customization*** to various interior design styles and personal tastes.

Customized accessories sold separately.



Air Purifiers features

Your air quality assistant

Whether you're at home or on the go, monitor and optimise your indoor air quality using our **connected app**. You can automatically start the air purification process, check progress, and easily adjust your preferences remotely. Simply sit back, relax and let your air purifier do the rest.

A breath of fresh air


A spiral outlet creates a robust whirl to efficiently circulate filtered air throughout a room without any uncomfortable drafts*

* Based on Japan's JEM 1467 regulations of air changes per hour. Room size with a CADR for smoke of 415 m³ / hour and with the upward motion you can be close without being disturbed from the airflow.









Air Purifier	Technical Information	Features	Air Purifier	Technical Information
PA91-606GY Pure A9	Product Dimensions (mm) 750 (H) x 315 (W) x 315 (D) Coverage Area (Sqft.)* Up to 947 Sq ft	 PureProtect neutralises up to 99.99% bacteria. PureSense measures air quality and adjusts speeds. Very quiet (as low as 17 db) operation, even when at maximum speed. AirSurround 4x higher filtered air delivery rate. Adjustable filters for seasonal sensitivities. Connected app to remotely optimise air quality. 	WA71-305GY Well A7	Product Dimensions 480 (H) × 579 (W) × 213 (D Coverage Area (Sqft.)* Up to 441 Sq ft
Air Purifier	Technical Informationt	Features	Air purifier	Technical information
PA91-406DG	Product Dimensions (mm)	PureProtect neutralises up to	WA51-305WT	Product Dimensions (mm)
Pure A9	590(H) x 315 (W) x 315 (D)	99.99% bacteria.	Well A5	480 (H) x 579 (W) x 213 (C Coverage Area (Sqft.)*
	Coverage Area (Sqft.)*	 PureSense measures air quality and adjusts speeds. 		Up to 441 Sq ft
	Up to 656 Sq ft	 Very quiet (as low as 17 db) operation, even when at maximum speed. 		
		AirSurround 3x higher filtered air delivery rate.		
		 Adjustable filters for seasonal sensitivities. 		
		Connected app to remotely optimise air quality.		
			ы	

213	(D)
	` '

- 5-step filtration reduces 99.9% of bacteria.
- 360° intake delivers clean air in minutes.
- \cdot Lightweight, portable and adaptable design.
- Beautiful, functional Scandinavian design.
- \cdot Low, non-intrusive noise level of 24 dBA.
- · Connected app to remotely optimise air quality.

ion	Features		
(mm) 213 (D)	 4-step filtration reduces 99.9% of bacteria. 		
ıft.)*	 360° intake delivers clean air in minutes. 		
	 Lightweight, portable and adaptable design. 		
	 Beautiful, functional Scandinavian design. 		
	 Low, non-intrusive noise level of 24 dBA. 		

 \cdot Connected app to remotely optimise air quality.

Air Purifier	Technical Information	Features	
FA41-400PK UltimateHome 500	Product Dimensions 580 (H) x 320 (W) x 320 (D) Coverage Area (Sqft.)* Up to 570 Sq ft	 4-step filtration neutralises captured bacteria. Spiral outlet circulates filtered air. Quiet operation, even when at maximum speed. Intuitive touch UI is simple and easy to use. 	
Air purifier	Technical information	Features	
	Product Dimensions (mm)	 4-step filtration neutralises captured bacteria. 	
FA31-200WT UltimateHome 300	380 (H) x 240 (W) x 240 (D)	 4-step filtration neutralises captured bacteria. Spiral outlet circulates filtered air. 	
		captured bacteria.	
FA31-200WT UltimateHome 300	380 (H) x 240 (W) x 240 (D) Coverage Area (Sqft.)*	captured bacteria. • Spiral outlet circulates filtered air. • Quiet operation, even when at	





	-		and the second s	
1 21		199	1 1	170

	ESV223C2CA UltimateHome 300	ESV185C3NA UltimateHome 500	ESV185C3HA UltimateHome 500	ESV183C1AA UltimateHome 300
Technical specifications				
Product type	Inverter Air Conditioner	Inverter Air Conditioner	Inverter Air Conditioner	Inverter Air Conditioner
Indoor unit dimensions (mm)	295 (H) x 1030 (W) x 222 (D)	295 (H) x 1030 (W) x 222 (D)	295 (H) x 1030 (W) x 222 (D)	295 (H) x 1030 (W) x 222 (D
Outdoor unit dimensions (mm)	1135 (H) x 355 (W) x 290 (D)	1135 (H) x 355 (W) x 290 (D)	1135 (H) x 355 (W) x 290 (D)	1135 (H) x 355 (W) x 290 (D
Installation type	Built-in	Built-in	Built-in	Built-in
Power (TON)	1.8	1.5	1.5	1.5
Room coverage (ft²)	334	247	247	247
Frequency (Hz)	50	50	50	50
Voltage (V)	230	230	230	230
Total Wattage (W)	6250	5050	5050	5100
Noise level (dB)	50	45	45	45
Energy rating	3	5	5	3
Features				
No. of modes	L _i	4	4	4
No. of fan speeds	3	3	3	3
Remote control	\checkmark	\checkmark	√	\checkmark
Inverter compressor	\checkmark	\checkmark	\checkmark	\checkmark
R32 refrigerant	\checkmark	\checkmark	\checkmark	\checkmark
Timer	✓	√	\checkmark	√
Sleep mode	√	√	√	√
ActivePure	✓	✓	✓	✓
I-Feel	✓	√	✓	✓
X-Fan	√	√	✓	√
BlueTech Shield	✓	\checkmark	\checkmark	√
Anti-bacterial mesh filter	✓	√	\checkmark	√
PM2.5	✓	\checkmark	✓	√
Plasma	-	√	\checkmark	-
Design				
Controls	Manual with display	Manual with display	Manual with display	Manual with display
Main colour	White	White	White	White
Main material	Plastic	Plastic	Plastic	Plastic

ESV183C2UA ESV183C2CA ESV125C3HA UltimateHome 300 UltimateHome 300 UltimateHome 500 Inverter Air Cor Inverter Air Conditioner Inverter Air Conditioner _ 295 (H) x 1030 (W) x 222 (D) 295 (H) x 830 (W 295 (H) x 1030 (W) x 222 (D) 1135 (H) x 355 (W) x 290 (D) 1135 (H) x 355 (W) x 290 (D) 935 (H) x 355 (W Built-in Built-in Built-in 1.5 1.5 1 247 247 247 50 50 50 230 230 230 3450 41 5 5100 5100 45 45 3 3 4 4 4 3 3 ✓ \checkmark ✓ \checkmark \checkmark \checkmark ✓ \checkmark \checkmark ✓ ~ ~ ✓ √ ~ ✓ ✓ ~ ~ ~ ~ . ✓ ✓ ~ ~ \checkmark ~ ✓ ~ ~ ✓ √ ~ ~ --

Manual with display	Manual with display	Manual with
White	White	White
Plastic	Plastic	Plasti





ESV123C2UA

UltimateHome 300



ESV123C1AA UltimateHome 300

onditioner	Inverter Air Conditioner	Inverter Air Conditioner
W) x 222 (D)	295 (H) x 830 (W) x 222 (D)	295 (H) x 830 (W) x 222 (D)
W) x 290 (D)	935 (H) x 355 (W) x 290 (D)	935 (H) x 355 (W) x 290 (D)
in	Built-in	Built-in
	1	1
,	247	161
	50	50
	230	230
)	3450	3450
	41	41
	3	3
	4	4
	3	3
	√	✓
	√	✓
	✓	✓
	√	✓
	√	√
	√	√
	√	√
	√	✓
	√	√
	√	√
	√	✓
	-	-
n display	Manual with display	Manual with display
e	White	White

Plastic Plastic Plastic Plastic





PA91-606GY Pure A9 PA91-406DG Pure A9

	PUIE A9	PUIE A9
Technical specifications		
Product type	Air Purifier	Air Purifier
Product dimensions (mm)	750 (H) x 315 (W) x 315 (D)	590(H) x 315 (W) x 315 (D)
Installation type	Freestanding	Freestanding
CADR (clean air delivery rate) (Source- JEM)	688	472
Filter stages	5	5
Particle removal efficiency	99.98%	99.98%
Room coverage (ft²)	947	656
Total Wattage (W)	41	28
Noise level (dB)	17-49 dB (A)	17-46 dB (A)
Features		
No. of fan speeds	9	9
Timer	-	-
Sleep mode	-	-
Air Quality indicator	✓	\checkmark
Filter life indicator	✓	\checkmark
Temperature sensor	✓	✓
Humidity sensor	✓	\checkmark
PureSense	\checkmark	✓
AirSurround	✓	\checkmark
Wifi connectivity	\checkmark	✓
Advance Filtration type	HEPA 13 Activated Carbon	HEPA 13 Activated Carbon
IAQ LED/Light Indicator & Colors	✓	✓
Ionizer Indicator	✓	\checkmark
Error Indicator	-	-
Fan Speed Control	-	-
SMART Mode	✓	\checkmark
Light Sensor	✓	\checkmark
PM Sensor (PM 1, 2.5 and 10)	✓	\checkmark
TVOC Sensor	✓	✓
Safety features		
Child lock	✓	\checkmark
Design		
Controls	Touch screen	Touch screen
Main colour	Grey	Grey
Main material	Fabric	Fabric



WA71-305GY



WA51-305WT

Well A7	Well A5	UltimateHome 500	UltimateHome 300
Air Purifier	Air Purifier	Air Purifier	Air Purifier
480 (H) x 579 (W) x 213 (D)	480 (H) x 579 (W) x 213 (D)	580 (H) x 320 (W) x 320 (D)	380 (H) x 240 (W) x 240 (D)
Freestanding / Wall Mount	Freestanding	Freestanding	Freestanding
320	320	415	203
5	4	4	4
99.98%	99.98%	99.98%	99.98%
441	44]	570	276
50	55	45	20
24-49 dB (A)	24-49 dB (A)	28-54 dB (A)	28-51 dB (A)
24-49 GB (A)	24-49 UB (A)	20-34 GB (A)	20-31 UB (A)
5	5	9	3
-	-	-	-
-			- -
 ✓	√	-	-
 ✓	¥		- -
√		-	·
· · ·		_	
-			
√	✓		_
√	✓	_	_
HEPA H13 Activated Carbon	HEPA H13 Activated Carbon	HEPA H13 Activated Carbon	HEPA H13 Activated Carbon
✓	✓	-	-
✓	_	_	-
√	\checkmark	-	-
√	✓	-	-
\checkmark	✓	-	-
\checkmark	✓	-	-
\checkmark	✓	=	-
√	-	-	-
*	4	-	
Touch screen	Touch screen	Touch screen	Touch screen
Grey	White	Pink	White
Fabric	Plastic	Plastic	Plastic





FA41-400PK JItimateHome 500

FA31-200WT UltimateHome 300





Swedish thinking. Better living. 1

Love the way you live

Wellbeing. It's that contented state being in a comfortable, clean, and healthy home, and your wellbeing is at the heart of the Electrolux philosophy. Our products are designed to fit seamlessly into your home while enhancing your life, from the air you breathe to the joy of a hot shower, and floors that feel luxuriously clean underfoot. Aesthetically pleasing forms follow effortless function creating products that you'll enjoy using every day.

Swedish thinking. Better living.





Floor Care

The right vacuum cleaner for you

Many people believe that an efficient vacuum cleaner is measured by a vacuum's voltage or power. The real performance of a vacuum cleaner is measured by dust pick-up. Creating effective dust pick-up is a matter of generating enough suction power. This is an optimal combination of vacuum and airflow in the nozzle with high airspeed around the particles to be picked up. It's key to remember that an efficient vacuum cleaner consists of 5 good factors: tube/hose, motor, separator/filter system, suction power, and air speed.



Wet & Dry

features

One vacuum, three functions

Enjoy the **powerful performance and efficiency of a 3-in-1 cleaner** that features the unique versatility of wet, dry and blow functions in one vacuum.

Accessories stored on board


Clean, filtered exhaust air

The **microfilter** ensures the exhaust air entering your home is clean, dust free,

High performance suction power

High performance, **powerful suction** with a **1600w motor** ensuresoutstanding







Wet and dry vacuum cleaner

Z931

1600W Flexio Power Copper wet and dry vacuum cleaner


Technical info


Product Dimensions (mm) 500 (H) x 437 (W) x 383 (D

Feature

- 3-in-1 vacuum with wet, dry and blow functions.
- Accessories stored on board for efficient, easy access.
- Microfilter for clean exhaust air in your home.
- High suction performance with 1600w motor power







Canister (bagged & bagless) features

An efficient, powerful clean

The **PowerPro System** combines a powerful motor with an optimised floor nozzle to deliver outstanding vacuuming results.

All-floor deep dust pick up

The optimised **DustPro nozzle** ensures powerful dust pick up on all floor types to give carpets and hard flooring a deep and thorough clean.

Wrap-around protective bumper

The **ErgoShock bumpe**r wraps around the vacuum to protect your walls, skirting boards and furniture from scuffing as you clean.

Effortless 360° handling

360° motion technology allows the small wheels to turn full circle for **maximum manoeuvrability** and effortless handling.

180° Access system

180° Access System is designed for **easy opening**, **and to allow fast**, full access to the dustbag and filter.



Bagged Canister Vacuum Cleaner

ZSP2320T

2000W SilentPerformer Chilli red canister vacuum cleaner

Technical info

Product Dimensions (mm) 441 (H) x 293 (W) x 238 (D

Feature

- PowerPro motor and nozzle fo outstanding results.
- DustPro nozzle for powerful all-floor dust pick up.
- ErgoShock bumper protects furniture and walls.
- 360° motion technology for maximum manoeuvrability.
- 180° Access System for quick, easy opening.

Bagless Canister Vacuum Cleaner

Technical info

PC91-5STM

1400W Pure C9 Space teal metallic canister vacuum cleaner

Product Dimensions


437 (H) x 296 (W)



Features

ns (mm) ·	Sealed filtration system re-emits clean air into your home.
•	Outstanding cleaning performance for longer.

- Simple, hygienic emptying and easy maintenance
- Easy-roll wheels and smooth, precise handling.
- Exclusive lifetime filter will never need replacing.



Cordless features

Easy Access and flexibility*

With Grab & Go and Roll in Roll out features allows access to a quick or urgent cleaning solution with minimal to no assembly required. Ergonomically designed, from self-standing, optimal device weight distribution, to smooth steering nozzles to ensure an easy and comfortable clean.

Versatile and Convenient Clean

Experience the ultimate combination of function and flexibility. Engineered to be versatile, the **detachable 2-in-1 unit** and **multi-purpose nozzles** enable cleaning from small to large or hard to reach surfaces. Accessories and attachments are also conveniently stored for easy access and adaptation to varying areas.

Hygiene and Filtration*

Delivering technology that ensures true hygienic surface and surrounding with **BrushRollClean™**, **Wet mopping**, **UV** and **Pet nozzles**. Vacuums are integrated with **advance filtration** that ensures that dusts are contained to enjoy a healthier, cleaner home environment.

Powerful and uninterrupted cleaning*

Cyclonic system separates dirt from air, which enables the vacuum to maintain full suction performance throughout the entire clean even as the dust bin fills up. Selected models comes with **interchangeable backup battery** in the charging station, while you while you vacuum with the other.





EFP91834

Self-standing handstick vacuum cleaner

Technical info

WQ61-1EDB

18V Well Q6 Denim blue self-standing handstick vacuum cleaner

Product Dimension

1128 (H) x 282 (W)



Features

ons (mm) /) x 196 (D)	•	Grab & Go for quick, convenient cleaning.
)	•	Cyclonic system maintains suction even when full.

- Low weight for comfortable cleaning.
- Onboard accessories to easily adapt when cleaning.
- 5-step filtration removes 99.9% of particles.
- BrushRollClean means no more manual cleaning.



Z931 Flexio power

General information		
Product type	Wet And Dry Vacuum Cleaner	
Product dimensions (mm)	500 (H) x 437 (W) x 383 (D)	
Connection type	Corded	
Dust container type	Bagged	
Power (W)	1600	
Dust container capacity (L)	15.00%	
Water container capacity (L)	15	
Cord length (M)	5.25	
Total Wattage (W)	1600	
Noise level (dB)	85	
Features		
No. of power levels	2	
Filter type	Microfilter	
Combination crevice brush	\checkmark	
Upholstery nozzle	\checkmark	
Design		
Controls	Manual	
Main colour	Orange	
Main material	Plastic	

Canister (bagged & bagless)



ZSP2320T SilentPerformer

General information		
Product type	Canister Vacuum Cleaner	Canister Vacuum Cleaner
Product dimensions (mm)	441 (H) x 293 (W) x 238 (D)	437 (H) x 296 (W) x 308 (D)
Connection type	Corded	Corded
Dust container type	Bagged	Bagless
Power (W)	2000	1400
Dust container capacity (L)	-	-
Cord length (M)	8	-
Total Wattage (W)	2000	1400
Noise level (dB)	80	72
Features		
Filter type	Washable Hygiene filter 12	Washable Allergy Plus 13
EasySteer	-	✓
LED headlight	-	✓
Combination crevice brush	\checkmark	-
Upholstery nozzle	-	\checkmark
Design		
Controls	Manual	Manual with display
Main colour	Red	Black
Main material	Plastic	Plastic



PC91-5STM Pure C9



EFP91834 UltimateHome 900 WQ61-1EDB Well Q6

General information		
Product type	Handstick Vacuum Cleaner	Self-Standing Handstick Vacuum Cleaner
Product dimensions (mm)	1120 (H) x 250 (W) x 290 (D)	1128 (H) x 282 (W) x 196 (D)
Connection type	Cordless	Cordless
Dust container type	Bagless	Bagless
Power (W)	150	18
Dust container capacity (L)	0.4	0.3
Total Wattage (W)	400	130
Noise level (dB)	80	-
Features		
No. of power levels	4	2
Handheld unit	\checkmark	\checkmark
Filter type	35	35
BrushRollClean	6	13
EasySteer	150	270
LED headlight	\checkmark	\checkmark
Wifi connectivity	Lithium ion	Lithium ion
Combination crevice brush	E12 * Double Foam	E10
Upholstery nozzle	\checkmark	√
Pivoting dusting brush	\checkmark	\checkmark
Design		
Controls	Manual with display	Manual & buttons
Main colour	Bronze	Blue
Main material	Plastic	Plastic







Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.

Swedish Thinking. Better Living.



Electrolux India



1800 202 1800

Operational on **Monday to Saturday** between 10 am to 8 pm except Public Holidays

customercareindia@electrolux.com

Follow us on:

Contact us



±, Product Book repair service registration

3

